

UNITED STATES DISTRICT COURT
SOUTHERN DISTRICT OF NEW YORK

-----X
UNITED SPINAL ASSOCIATION, a nonprofit
organization, DISABLED IN ACTION, a
nonprofit organization,

Plaintiffs,

-v.-


10 Civ. 5653 (DAB)
ORDER

BOARD OF ELECTIONS IN THE CITY OF
NEW YORK and JULIE DENT, in her
official capacity as President of the
Board of Elections in the City of New
York,

Defendants.

-----X
DEBORAH A. BATTS, United States District Judge.

On March 16, 2012, Plaintiffs United Spinal Association and Disabled In Action (collectively, "Plaintiffs") and Defendants Board of Elections in the City of New York ("BOE") and Julie Dent, in her official capacity as President of the BOE (collectively, "Defendants"), filed Motions for Summary Judgment in the above-referenced matter. On August 8, 2012, this Court entered a Memorandum and Order (the "August 8th Order"), which granted Plaintiffs' Motion and denied Defendants' Motion. Since its issuance of the August 8th Order, the Court has held three hearings focused solely on the question of appropriate remedy. By letter dated October 11, 2012, the Department of Justice, pursuant to 28 U.S.C. § 517, appeared and submitted a proposed



Order for a remedial plan. Plaintiffs and Defendants (collectively, "parties"), and the Department of Justice, were instructed to meet and confer to develop and propose a joint plan for the Court to consider before it entered a remedial Order in this matter. Having considered the parties' proposals and concerns, the Court hereby ORDERS that:

1. Accessible polling sites are and shall be the cornerstone of the voting accessibility program of the BOE. The BOE has an obligation to provide an accessible voting program under federal law.

2. The BOE shall maintain in operable working condition, on the day of any election, those features of facilities and equipment that are required to be provided by the BOE to make polling sites temporarily accessible to and usable by persons with disabilities.

3. Beginning with the November 6, 2012 General Election, and in all primary, special, and general elections held thereafter, the BOE shall designate one of the BOE's existing poll-site workers at every polling site in New York City as the on-site Americans with Disabilities Act Coordinator on Election Day ("On-Site Accessibility Coordinator"). The BOE shall contract with the Center for the Independence of the Disabled, New York ("CIDNY"), the downstate regional Protection and Advocacy for

Voter Access office, to train each of the On-Site Accessibility Coordinators on poll-site accessibility prior to the November 6, 2012 General Election. After the November 6, 2012 General Election, the BOE may contract with a third-party, mutually agreed upon by the parties, to develop training for each of the On-Site Accessibility Coordinators on poll-site accessibility. The BOE shall contract with CIDNY to develop an Election Day poll-site accessibility checklist to be used by On-Site Accessibility Coordinators on the date of any election.

(a) The BOE shall compensate CIDNY for the services it provides pursuant to this Order at a rate determined by this Court.

(b) This paragraph does not require the BOE to hire any additional staff at its poll sites.

4. The BOE's On-Site Accessibility Coordinators shall document any accessibility complaints received on the date of any election. Plaintiffs shall provide forms for this documentation to the BOE. The BOE shall submit a report detailing accessibility complaints received by On-Site Accessibility Coordinators to Plaintiffs within 45 days of any primary, special, or general election held during the term of this Order, with the exception of Primary Elections occurring in September. For Primary Elections occurring in September, the BOE shall

provide reports detailing accessibility complaints for a sample 35 randomly selected poll-sites within 45 days of such primary elections. The parties shall communicate in writing regarding which sites shall be sampled at least 30 days prior to each September Primary Election.

5. This matter is referred to Magistrate Judge Henry B. Pitman, who is designated by this Court to oversee the implementation of this Order, including inter alia any and all disputes among the parties concerning payments, selection of Third Party Experts, and the poll-site surveys to be conducted pursuant to this Order.

6. Attachment A to this Order contains a list of poll-sites, including those with accessibility barriers, which the parties identified in advance of the hearing on remedies held on September 10, 2012. Following each Election Day, parties shall meet and confer, and make a joint submission to Judge Pitman of an updated version of Attachment A, which shall incorporate:

- (a) any additional barriers at the BOE's poll sites;
- (b) the removal of any poll-sites identified from the BOE's list of active poll-sites; and
- (c) the removal of any poll-site barriers from the list where the parties agree that such barriers no longer exist at the identified poll-site.

The BOE shall ensure that the sites identified in the most updated version of Attachment A receive appropriate and sufficient temporary access features (such as portable ramps and sufficient signage) on the day of the election. For the November 6, 2012 General Election, the BOE shall, to the extent possible, ensure that the sites identified in Attachment A receive appropriate and sufficient temporary access features (such as portable ramps and sufficient signage) on that date.

7. Beginning with the November 6, 2012 General Election, and in all primary, special, and general elections held thereafter and during the term of this Order, Assembly District ("AD") Monitors employed by the BOE shall visit each polling site twice on the date of any such election to assess the accessibility of the poll site. The first visit to each site shall occur at least four hours prior to the second, and the AD Monitors shall, during said visits, take immediate steps to assist on-site poll workers to remedy any access barriers at the site, including, but not limited to, missing ramps, missing signage, and paths to voting machines that cannot accommodate persons with disabilities due to insufficient width.

(a) The AD Monitors shall complete CIDNY's poll-site accessibility training prior to November 6, 2012.

(b) Prior to each election held during the term of

this Order, the BOE shall communicate in writing to each AD Monitor visiting a polling site at which the BOE agreed to or was required by Court Order to implement a temporary modification, pursuant to Paragraph 15 of this Order. The communication shall identify the temporary modifications that are necessary to implement at that site.

(c) The AD Monitors shall document the results of their visits. The report shall state whether each temporary modification to which the BOE agreed pursuant to Paragraph 15, or was ordered to implement, was in fact implemented when the AD Monitors arrived at the polling site. If one or more of the temporary modifications was not implemented when the AD Monitors arrived at the polling site, the AD Monitors' report shall also state:

(1) the time the AD Monitor informed an on-site poll worker of the failure to implement the temporary modification;

(2) the name of the on-site poll worker with whom the AD Monitors spoke regarding the failure to implement the temporary modification; and

(3) whether the temporary modification was implemented before the AD Monitors left the polling site.

(d) Within 45 days of the date of any election, Defendants shall submit a report to Plaintiffs detailing:

- (1) all access barriers found by the AD Monitors;
- and
- (2) any temporary modifications that the BOE failed to implement.

A sample form for this report is attached to this Order as Attachment B.

8. Defendants shall contract with, and provide reasonable compensation to, an independent third-party with expertise in voting accessibility ("Third Party Expert") to conduct poll-site accessibility surveys of the polling sites in New York City. The parties shall attempt to come to an agreement regarding the selection of the Third Party Expert. If the Parties cannot agree on the Third Party Expert by January 10, 2013, however, the parties shall, in writing, brief Judge Pitman as to their respective recommendations for the Third Party Expert. Judge Pitman shall designate the Third Party Expert.

9. The BOE will cooperate fully with the Third Party Expert as it conducts its survey work including, but not limited to, providing the Third Party Expert with assistance in accessing polling sites on non-election days and providing access to

election district maps and other reasonably requested information, including the identification of the voting area at each polling site, in a timely manner.

10. Beginning January 2013, the Third Party Expert will conduct surveys of as many polling sites as practicable, with a goal of no fewer than 120 polling sites every two months (the "Survey Period").

11. The Third Party Expert shall use the survey instrument, attached hereto as Attachment C, to evaluate polling sites pursuant to Paragraph 10 of this Order. In addition, the Third Party Expert will include photographs of relevant features at each polling site to accompany the survey instrument.

12. Within 20 days of the end of each Survey Period, the Third Party Expert shall provide to the BOE and the Plaintiffs, copies of all survey instruments completed and photographs compiled during the previous Survey Period.

13. Within 30 days of the end of each Survey Period, the Third Party Expert will report to Judge Pitman, the BOE, and the Plaintiffs, in writing, with the results of the surveys completed pursuant to Paragraph 10 of this Order and its recommendations regarding polling place locations that are not accessible (the "Report"). Each Report shall state:

(a) Whether each surveyed polling site can reasonably

be modified temporarily to be accessible on the day of any election after November 6, 2012, and, if so,

(i) what temporary modifications can be made, and

(ii) how such modifications can be accomplished;

(b) If the polling site is located in a publicly-owned building, whether it is reasonable to modify permanently any accessible polling site to make it accessible and how such modifications would be made; and

(c) Whether a temporary sign should be posted to direct voters with disabilities to an alternate accessible entrance, and where the sign should be posted.

14. If the Report concludes that a surveyed polling site cannot reasonably be modified temporarily, the BOE shall report to the Plaintiff and the Third Party Expert, within 60 days of receipt of the Report, in writing, whether that polling site can be relocated to a building that is accessible or can reasonably be made temporarily accessible, and the specific location(s) it recommends as the relocation site. In determining whether a polling site can reasonably be relocated, the BOE shall consider the following criteria:

(a) Whether the proposed relocation site is in the same election division that the polling site serves or an election division adjacent to the election division that the

polling site serves;

(b) Whether there are any significant dangers or obstacles that would preclude pedestrians from traveling safely to the proposed location, such as a park or major road or highway that cannot be safely traversed;

(c) Whether the building in which the polling site is proposed to be relocated is of sufficient size to accommodate a polling site or, if a polling site is already located there, whether the building is of sufficient size to accommodate an additional polling site; and

(d) Whether the location is unable to accommodate a polling site for mechanical or other physical or operational reasons.

If the BOE recommends a relocation site that is not accessible but can reasonably be made temporarily accessible, the BOE also will identify what temporary modifications can be made and how such modifications can be made.

15. As set forth under subsections (a) and (b) of this Paragraph, the BOE will implement recommendations made by the Third Party Expert Pursuant to Paragraph 13 of this Order, subject to its ability to challenge the recommendation under subsection (c) of this Paragraph.

(a) Other than the when excepted pursuant to subsection (c) of this Paragraph, during the term of this Order, the BOE shall implement all recommendations of the Third Party Expert to which it has agreed, beginning in the elections immediately subsequent to their agreement, unless

(i) the BOE's agreement was made within 45 days before the next election; and

(ii) the BOE determines that it is in its best interest to implement the recommendation in the next subsequent election, in which case the recommendation will be implemented in the next subsequent election.

(b) During the term of this Order, other than when excepted pursuant to subsection (c) of this Paragraph, the BOE will, in the next election subsequent to any additional Order issued by the Judge Pitman, implement said Orders, unless the Orders are appealed to this Court.

(c) If the BOE concludes that

(i) it cannot reasonably implement a recommendation;

(ii) relocation of the polling site to an alternate location is a more appropriate response to the recommendation; or

(iii) a polling site cannot be relocated;

then the BOE shall notify the Third Party Expert and the Plaintiffs and meet and confer with the Third Party Expert and the Plaintiffs (or their representatives). If the BOE and the Third Party Expert or the Plaintiffs are unable to agree as to the implementation of a recommendation, the BOE may petition the Judge Pitman for relief from the applicable recommendation pursuant to Rule 60 of the Federal Rules of Civil Procedure, subject to appeal. The BOE does not have to implement any recommendation from which it is seeking relief unless and until the Judge Pitman, or if appealed, a Final Order on Appeal, orders the BOE to implement the recommendation.

16. Attached to this Order is a survey instrument, Attachment C, which the BOE shall use to assess the accessibility of all future proposed polling site locations. The BOE shall continue to make accessibility a major criterion when it selects new locations for polling sites. The BOE shall continue its policy and practice of reviewing each newly proposed polling site location to determine whether it is accessible to persons with disabilities or could be made temporarily accessible before selecting a location as a polling site.

17. After the November 6, 2012 General Election, the Third Party Expert shall train employees of the BOE on using the survey

instrument and determining whether a polling site location is or can be made accessible. No later than 60 days before beginning the training, the Third Party Expert shall provide the BOE with a copy of the training materials that the Third Party Expert intends to use, and shall provide the BOE with a list of equipment and/or supplies the BOE inspectors will need to assess accurately the accessibility of the BOE's polling sites. During the term of this Order, the BOE may request additional training on a reasonable basis.


18. If at any time one of the parties desires to petition this Court to modify this Order, the party will promptly notify the other parties in writing, setting forth the facts and circumstances thought to justify modification, as well as the substance of the proposed modification. In such an instance, an in-person meeting between the parties shall be held prior to the petition to attempt resolution without Court intervention. Parties receiving notice of another party's intent to petition for modification of this Order shall notify the requesting party in a timely manner as to whether it will consent to the proposed modification.

19. The Court shall maintain jurisdiction over compliance with this Order through December 31, 2016. 30 days before the expiration of this period, the parties shall submit briefing to

the Court on the BOE's compliance with the Order, and make recommendations as to whether the Court should retain jurisdiction over the matter.

SO ORDERED.

New York, New York
October 18, 2012



THE HONORABLE DEBORAH A. BATTIS
UNITED STATES DISTRICT JUDGE

ATTACHMENT A

POLLING SITES DESIGNATED AS INACCESSIBLE TO BE UPDATED WITH
POLLING PLACE ACCESS SURVEY DATA FROM THE SEPTEMBER 2012 PRIMARY
AND THE NOVEMBER 2012 GENERAL ELECTION

Borough	Poll Site	2009	2010	2011	
BRONX	PS 67 2924 Mohegan Ave				
	PS 6 100 East Tremont Ave				
	School Gym 1684 White Plains Road				
	PS 102, 1827 Archer St.				
	Basement 1920 McGraw Ave				
	Basement 1595 Unionport Road				
	Basement 2059 McGraw Ave				
	Basement 2051 St. Raymonds Ave				
	Store Room 1591 Metropolitan Ave				
	Basement 9 Metropolitan Oval				
	Parkchester Complex 1594 Unionport Road				
	JHS 127 1560 Purdy St				
	PS 12 255 Tratman Ave				
	Glebe Ctr 2125 Glebe Ave				
	PS 119 1075 Pugsley Ave		(1) No Accessible Entrance (BOE 350)		
	PS 47 1794 East 172 St.				
	James Monroe HS Annex 1551 East 172 St.				
	Holy Family Church 1971 Castle Hill Ave				

	IS 131 885 Bolton Ave				
	PS 138 2060 Lafayette Ave		(1) Portable ramp not set up properly (BOE 4103)		
	PS 69 560 Thieriot Ave				
	Comm Room 2050 Seward Ave				
	IS 174 456 White Plains Road		(1) Signage not posted outside (BOE 3741)		
	Bronx CTR for Rehab 1010 Underhill Ave				
	Grand Manor H.R.F. 700 White Plains Road				
	Hostos Comm College 120 East 149 th St.		(1) Elevator at accessible entrance out of order (BOE 4273) (2) Signage not properly posted outside (BOE 4624)		
	PS 73 1020 Anderson Ave				
	PS 11 1257 Ogden Ave		(1) Signage not properly posted outside (BOE 4740)		
	Apartment Bldg 1600 Sedgwick Ave				
	PS 229 CES 275 Harlem Riv Pk Bridge				
	Heights Sr. Citizen Ctr 200 West Tremont Ave				
	Craftroom #1 1771 Popham Ave				
	Antonia Diaz Houses 1454 Shakespeare Ave				
	IS 306 40 West Tremont Ave		Voting booths set up in a public hallway: "Due to		

			being placed in public hallway, there was a lot of traffic." (BOE 5106)		
	IS 117 1865 Morris Ave				
	PS 64 1425 Walton Ave				
	PS 70 1691 Weeks Ave				
	WM H Taft HS 240 East 172 nd St.				
	PS 53 – Annex 360 East 168 th St.				
	Church Hall 120 East 169 th St				
	JHS 145 1000 Teller Ave		(1) Signage not properly posted outside (BOE 3973, 4337)		
	County BLDG 851 Grand Concourse				
	Daughters of Jacobs 1160 Teller Ave				
	Comm Ctr 1155 University Ave				
	Craftroom #1 1553 University Ave				
	Dodge HS 2474 Crotona Ave				
	PS 32 690 East 183 St				
	JHS 45 2502 Lorillard Place				
	PS 23 Cafeteria 2151 Washington Ave				
	PS 85 2400 Marion Ave				
	PS 46 279 East 196 th St				
	PS 9 3010 Briggs Ave		(1) BMD keys never arrived and the machine wasn't in use. No remedy.		

			Unable to reach Board of Elections. (BOE 108)		
	Glad Tidings Assem 2 Van Cortlandt Ave E				
	MS 80 149 E. Mosholu Pkwy		"All outside signage" missing. (BOE 5004) "BMD not opened – keys not located." (BOE 5006)		
	PS 33 2424 Jerome Ave				
	PS 86 2756 Reservoir Ave				
	Fordham Hill Complex 2455 Sedgwick Ave				
	PS 310 260 West Kingsbridge Rd				
	MS 143 120 West 231 St				
	Church of the Mediator 260 West 231 St				
	Grace Dodge Vocational HS 2474 Crotona Ave				
	Comm Room 555 Kappock St				
	Jewish Home & Hospital 100 W. Kingsbridge Rd				
	Comm Room 1880 Valentine ave				
	PS 57 2111 Crotona Ave				
	PS 92 700 East 179 St.				
	PS 44 1825 Prospect Ave		(1) Signage for accessible entrance not properly		

			posted (BOE 3825)		
	PS 4 1701 Fulton Ave				
	PS 50 1550 VYSE Ave				
	PS 61 1550 Crotona Park East				
	PS 66 1001 Jennings St				
	PS 55 450 St. Pauls Place				
	PS 132 450 St Pauls Place				
	PS 63 1260 Franklin Ave				
	C.I.S. 148 3630 3 Ave				
	Morris HS 100 Jackson Ave, Ent. 2				
	PS 120 890 Cauldwell Ave				
	PS 146 968 Cauldwell Ave				
	BX Regional HS 1010 Stebbins Ave				
	IS 166 250 East 164 St				
	Community Room 3131 Park Ave		(1) Signage: Directional arrows not posted outside (BOE 3871)		
	Comm Room 595 Trinity Ave				
	PS 130 750 Prospect Ave		(1) Signage for accessible entrance not posted (BOE 4612)		
	PS 29 758 Courtlandt Ave				
	PS 186 750 Jennings St				
	Comm Room 777 Concourse Village East		(1) Signage not posted outside at first visit (BOE		

			3868)		
	Lebanon Spec Care 1265 Fulton Ave				
	Comm Center 1950 Hutchinson River Pkwy				
	Apt House 1720 Mayflower Ave				
	Bronx House 990 Pelham Parkway South				
	Bronx Psych Center 1500 Waters Place				
	PS 108 1166 Neill Ave		(1) Signage for accessible entrance not properly posted (BOE 4126)		
	PS 83 Annex 1840 Bogart Ave				
	School Gym PS 105 725 Brady Ave				
	PS 96 650 Waring Ave				
	Chris Columbus HS 925 Astor Ave				
	Carriage Room 785 Pelham Pky No				
	PS 89 980 Mace Ave				
	PS 97 1375 Mace Ave				
	IS 144 2545 Gunther Ave				
	JHS 135 2441 Wallace Ave				
	PS 76 900 Adee Ave		(1) Signage not properly posted outside (BOE 4451)		
	Parkside Senior CT 644 Adee Ave				
	Social Center 2968 Bronx Park Est				
	PS 121 2750 Throop Ave				
	Immaculate				

	Conception 754 East Gun Hill Road				
	PS 41 3352 Olinville Ave		(1) Signage not properly posted outside (BOE 3857)		
	St Brendans School 268 East 207 St				
	PS 8 3010 Briggs Ave				
	Vladeck Hall 74 Van Cortlandt Park South		(1) Most signage never arrived (BOE 4171)		
	Comm Room 40 West Mosholu Pkwy S				
	Lobby 3410 Paul Ave				
	Kingsbridge Man Hgts 3422 Cannon Place				
	Beth Abraham 612 Allerton Ave				
	St. Patrick's Home 66 Van Cortlandt Park South				
	PS 94 3530 Kings College Place		(1) Signs for Accessible entrance not properly posted (BOE 3707) Second AD Team: (2)"No signage outside." (BOE 5002)		
	Comm Center 3450 Dekalb Ave				
	PS 103 4125 Carpenter Ave				
	PS 16 4550 Carpenter Ave		(1) Accessible entrance closed, no door clerk present (BOE 4234)		
	PS 19				

	4318 Katonah Ave				
	Manhattan College 3840 Corlear Ave				
	Fort Independence Houses 3350 Bailey Ave		(1) No door clerk present (BOE 4220)		
	Hebrew Inst of Riverdale 3700 Henry Hudson Pkwy				
	Draddy Hall 4513 Manhattan College Pkwy				
	PS 81 5550 Riverdale Ave				
	YM YWHA 5625 Arlington Ave				
	MS/HS 141 660 West 237 St				
	The Arbor West 235 St & Arlington Ave				
	Auditorium 2995 Independence Ave				
	Basement 25 Knolls Crescent				
	Mt Hebon Bap Church 732 East 233 St				
	Hebrew Home 5901 Palisade Ave		No indication signage is present but note from AD Monitor: "Signage not needed. All we on premises." (BOE 4958)		
	St. Francis Dechantal 190 Hollywood Ave				
	Civic Hall 3300 Locust Pt Dr & Tierney Pl				
	Vol Fire House Edgewater Pk				
	PS 72 2951 Dewey Ave				

	Preston High School 2780 Schurz Ave				
	Senior Center Lounge 2705 Schley Ave				
	IS 192 650 Hollywood Ave				
	PS 101 2750 Lafayette Ave				
	PS 14 3041 Bruckner Boulevard				
	Presbyterian Church 3051 East Tremont Ave				
	PS 194 2365 Waterbury Ave		(1) Signage not properly posted outside (BOE 4483)		
	PS 71 3040 Roberts Ave				
	Hall 3243 Ampere Ave				
	Church Hall 3573 Bruckner Boulevard				
	PS 175 200 City Island Ave		(1)Exterior accessible entrance doors closed. "Outer doors were closed because of school children." (BOE 5029) (2)Pre-cleared accessible poll site schematic appears to not be followed: "Things moved around because of safety for children." (BOE 5030)		
	Community Center #2 2049 Bartow Ave		(1) Signage not properly posted outside (BOE 4503)		
	Community Center				

	#3 135 Einstein Loop				
	Comm Cent AUD 177 Dreiser Loop				
	Olivett Gospel Asbly 3900 Dyre Ave				
	Holy Rosary Church 2950 Eastchester Road		(1) Signage for accessible entrance not posted properly (BOE 4465)		
	PS 78 1400 Needham Ave				
	Apartment Building 3410 Dereimer Ave				
	Community Center 3016 Yates Ave				
	Comm Room 745 Magenta St				
	St Luke's Church 777 East 222 St		(1) Signage not posted properly outside (BOE 4457)		
	PS 113 3710 Barnes Ave				
	Comm Room 3856 Bronx Boulevard				
	Baychester Youth Center 1220 East 229 th St				
	Edenwald Comm Center 1150 East 229 St				
	PS 68 4011 Monticello Ave				
	Boston Secor / Comm Center 3540 Bivona St				
	Mount St. Michael 4300 Murdock Ave		(1) Signage for accessible entrance not posted properly, no directional arrows (BOE 4433)		
	Laconia Nursing Home				

	1050 East 230 St				
	Walker Memorial Church 120 East 169 th St				
	IS 183 Gymnasium 339 Morris Ave				
	PS 154 333 East 135 St				
	Millbrook Comm Ctr 201 St. Anns Ave				
	PS 220 468 East 140 St				
	Borinquen Ct. Houses 285 138 St				
	Comm Room 375 East 143 St				
	Comm Room 225 East 149 th St		(1) Signage for accessible entrance not posted properly (BOE 4572)		
	Craftroom 277 East 153 St				
	Carmen Parsons Sr Ctr 441 East 155 th St				
	Apt. Building 372 East 152 St				
	Trinity Comm Ctr 595 Trinity Ave		(1) Accessible entrance door closed, no door clerk present (BOE 4533)		
	PS 1 335 East 152 St		(1) Signage not properly posted outside (BOE 4560)		
	PS 227 519 St Anns Ave				
	Community Room 401 St Anns Ave				
	Gilbert Ramirez Hses 455 East 138 St				
	PS 65 677 E 141 St				

	PS 5 564 Jackson Ave				
	S Gompers HS 455 Southern Boulevard				
	Maria Isabel Housing 787 East 149 St				
	PS 62 660 Fox Street				
	PS 48 1290 Spofford Ave				
	IS 183 / MS 203 339 Morris Ave				
	Harding Pk Comm Ctr 1820 Harding Park				
	PS 107 1695 Seward Ave				
	Comm Center 1000 Rosedale Ave				
	PS 77 1250 Ward Ave				
	PS 152 1007 Evergreen Ave				
	PS 123 1025 Morrison Ave				
	PS 93 1535 Story Ave				
	PS 150 920 East 167 Street				
	PS 75 984 Faile Street				
	IS 116 977 Fox Street				
	PS 60 888 Stebbins Ave				
	IS 74 730 Bryant Ave		(1) AD Comment "room is too far from entrance, and too small!" (BOE 1400)		
			(2)Second AD Monitoring Team: 5:40 pm "The old ramp (handicap)		

			<p>was not used. New ramp was harder to use and was a larger distance to travel." (BOE 2742)</p> <p>Exterior doors not easily opened frm the outside and no door clerk present. "Used front walkway and rap. Door locked at old ramp." <i>Id.</i></p>		
	PS 109 1771 Popham Ave				
	PS 26 1930 Andrews Ave				
	Sr Citizen HSE 228 West Tremont Ave				
	PS 15 2195 Andrews Ave				
	IS 206 2280 Aqueduct Ave				
	PS 91 2200 Aqueduct Ave				
	PS 79 125 East 181 St		(1) No Signage posted outside (BOE 4421)		
	Apt House 230 East 179 St				
	PS 163 2075 Webster Ave		(1) No signage posted outside (BOE 4389)		
	PS 28 1861 Anthony Ave		(1)Handicap sign missing. (BOE 720)		
Brooklyn					
	PS 631 76 Riverdale Ave				
	PS 184 273 Newport Street				
	PS 328 330 Alabama Ave				
	NYCHA Comm				

	Center 576 Blake Ave				
	PS 149 700 Sutter Ave		(1)Ramp not set up properly (BOE 1039)		
	PS 13 557 Pennsylvania Ave				
	PS 158 400 Ashford Street				
	PS 72 605 Shepherd Ave				
	Ps 159 2781 Pitkin Ave				
	Manta Rosa Sports Club 3386 Atlantic Ave				
	PS 218 IS 370 Fountain Ave				
	Linden PLZ Assoc 735 Lincoln Ave				
	Linden Plaza Building 675 Lincoln Ave				
	Apartment Building 760 Eldert Lane				
	PS 190 590 Sheffield Ave				
	PS 202 Hegeman Ave				
	PS 260 875 Williams Ave				
	PS 213 Mini School 1965 Linden Boulevard				
	PS 36 2045 Linden Boulevard				
	L.H. Pink C.C. 2702 Linden Boulevard				
	PS 224 755 Wortman Ave				
	Bldg 13 12399 Flatlands Ave				
	PS 273 923 Jerome St				

	Blvd Comm Ctr 726 Stanley Ave				
	PS 306 970 Vermont St		1)Ramp not set up properly and problem was not corrected 2) Not compliant with pre-cleared accessible schematic. "Principal moved schematics" . (BOE 1057)		
	Bldg 8 200 Cozine Ave				
	PS 279 1070 East 104 St				
	Breukelen's Project 715 East 105 Street				
	Vandalia Ctr 47 Vandalia Ave				
	PS 346 1400 Pennsylvania Ave				
	IS 364 Annex 1461 Geneva Loop				
	IS 364 1426 Freeport Loop				
	Ruby Weston Manor 2237 Linden Blvd		(1)Missing BMD Pedal and headphones (BOE 1022)		
	Bklyn United Methodist 1485 Dumont Ave				
	Adult Home 2830 Pitkin Ave				
	Tilden HS 5800 Tilden Ave				
	PS 251 1037 East 54 St				
	PS 208 4801 Avenue D				
	PS 68 JHS 956 East 82 Street		(1) Directional signage to accessible entrance		

			missing, not rectified. (BOE 373)		
	Basement 5816 Farragut Road				
	PS 203 5101 Avenue M				
	IS 395 / PS 109 10001 East 54 Street		(1) AD Comment "BMD was broken. Was tried to be fixed. Couldn't or wasn't." (BOE 369)		
	Howard Apartments 1655 Flatbush Ave				
	PS 119 3829 Avenue K				
	Early Childhood Ctr 3920 Flatlands Ave				
	PS 193 2515 Avenue L				
	PS 197 1599 East 22 Street		(1) No signage posted outside (AD Monitors had to do it) (2) Ramp not properly set up. (3) No door clerk (BOE 535-536)		
	J Madison HS 3787 Bedford Ave		(1) "Due to construction, 2 nd floor doorways too narrow for wheelchairs – they have to take a complicate route between several rooms." (BOE 356)		
	Kings Bay YM-YWHA 3495 Nostrand Ave				
	PS 206 2200 Gravesend Neck Road				
	PS 277 2529 Gerritsen Ave				
	PS 194 3093 Avenue W				

	IS 14 2424 Batchelder Street		(1) BMD broken (missing parts). No indication it was fixed. (BOE 387)		
	PS 286 2525 Haring Street				
	PS 52 2675 East 29 Street				
	Crown NH 2457 Nostrand Ave		(1) BMD became jammed and continued to have problems. (BOE 384)		
	Apt Hse Lobby 1641 Ocean Ave				
	Ed R Murrow HS 1600 Avenue L				
	Midwood Branch Library 975 East 16 th Street				
	Plaza Comm Rm 920 East 17 Street		1) Not compliant with pre-cleared accessible schematic. "Floor plan for this site is incorrect. Cannot set up as indicated. Water (some sort of leakage) on the floor, dripping, by accessibility entrance." 2)"Accessibility entrance: must go over speed bump, raised portion of sidewalk, downward slope" (BOE 1269)		
	PS 152 / PS 315 725 East 23 Street				
	Marlborough Grdns 386 Marlborough Rd				
	PS 139 330 Rugby Road		(1)AD Comment: "Site is definitely		

			not in compliance with regulations consistent with HAVA. Voters are walking from stage (sign up) up a hill/aisle to privacy booths. After marking ballot, back down to vote on scanner. After voting, back up hill/aisle to exit (BOE 1124)		
	PS 6 43 Snyder Ave		(1)BMD machine out of order as of 540 pm. Would not power up. (BOE 1173)		
	PS 249 18 Marlborough Road				
	PS 269 1957 Nostrand Ave				
	PS 181 1023 New York Ave		(1)Keys for BMD not delivered. Open as of 4:50pm (BOE 1176)		
	IS 246 72 Veronica Place				
	Stuy-Park Houses 77 New York Ave				
	Friends of Crown Hts 671 Prospect Place				
	PS 289 900 St Marks Ave				
	PS 138 760 Prospect Place				
	Crown Heights Apts 1055 St Johns Place				
	David Chavis Apts 230 Kingston Ave				
	Crown Grdns Comm Ctr 1185 Carrol Street				
	PS 161				

	330 Crown Street				
	St Marks Day School 1346 President Street				
	PS 167 1025 Eastern Parkway				
	PS 91 532 Albany Ave				
	PS 221 Mini School 900 Montgomery Street				
	PS 61 IS 400 Empire Boulevard				
	Reid Comm Rm 728 East New York Ave				
	Silver Hses 810 Midwood Street		(1)Not visited (no time noted and no survey boxes checked) (BOE 499)		
	PS 397 490 Fenimore Street				
	PS 235 525 Lenox Road				
	PS 135 684 Linden Boulevard		(1)"Wheel chair ramp is being assembled at 10:30am" (BOE 1164)		
	God's Battalion CH 661 Linden Boulevard				
	PS 92 601 Parkside Ave				
	Middle School 2 655 Parkside Ave				
	Dr. Susan McKinney 594 Albany Ave				
	John Jay HS 237 7 Ave		(1) Not compliant with pre-cleared accessible schematic. AD Comment is that Poll workers set up		

			<p>poll room as they saw fit because the floor plan didn't work for the space provided. (BOE 90)</p> <p>(2) Later: AD Commented with regard to persons who are handicapped "Need more door clerks because poll site room was moved to the 1st floor." (BOE 1114)</p>		
	MS 51 350 5 Ave		(1) BMD keys did not arrive until 8:30am. (BOE 105)		
	Hall 339 8 Street		(1) Ramp is missing hand rails. (2) BMD keys not delivered (BOE 1108)		
	PS 107 1301 8 Ave				
	Park Slope YMCA 361 15 Street				
	Bishop Boardman Apartments 1615 8 Ave				
	PS 10 511 7 Ave		(1) Ramp not set up properly (BOE 1117)		
	IS 88 544 7 Ave		(1) Wrong key for BMD. Problem not remedied until 2pm. (2) No evidence of properly posted directional signs to accessible polling place entrance. (BOE 07-08 and		

			BOE 102)		
	PS 154 1625 11 Ave		(1)Door clerk walked out at 9am (BOE 1111)		
	Rose Gardens Assoc 829 Greenwood Ave				
	PS 130 70 Ocean Parkway		(1)AD Comments: "Need more wheelchair signs" (2)"BMD machine non-functional" (BOE 1131-1133)		
	PS 230 1 Albemarle Road		(1)AD Comment: "Accessible entrance is FAR from poll site" (2)Accessible entrance interior doors are obstructed. (BOE 1129)		
	PS 164 4211 14 Ave				
	PS 131 4305 Ft Hamilton Parkway				
	PS 179 480 East 3 rd Street		(1)"This site needs more wheelchair signs" (BOE 1137)		
	PS 62 JHS 700 Cortelyou Road		(1)No door clerk. (1126)		
	Marien Heim Ctr 870 Ocean Parkway				
	Agudath Sr Ctr 817 Ave H		(1)Exterior accessible entrance closed, not easily opened from outside. (2)Interior doors obstructed (BOE		

			1151)		
	PS 217 1100 Newkirk Ave				
	PS 99 1120 East 10 Street				
	Cortelyou Br Library 1305 Cortelyou Road				
	JHS 62 700 Cortelyou Road				
	Palm Gardens 615 Ave C				
	PS 195 131 Irwin Street				
	Bay Academy – IS 98 1401 Emmons Ave				
	JASA Comm Ctr 161 Corbin Place				
	Rec Room 1311 Brightwater Ave		(1)No signs at the alternate accessible entrance. (BOE 520)		
	PS 209 2609 East 7 Street				
	St Marks School 2602 East 19 Street				
	PS 254 1801 Ave Y		(1)No Key for the BMD. Two telephone calls made. No indication of remedy. (BOE 564)		
	PS 216 350 Ave X				
	PS 153 1970 Homecrest Ave		(1)“There was not enough room for all of the privacy booths and very little room for anything else.” (BOE 555)		
	PS 234 IS 1875 East 17 Street				
	Sephardic Comm Ctr 1901 Ocean				

	Parkway				
	PS 238 1633 East 8 Street				
	St Brendans House 1215 Avenue O		(1)BMD not functional. (BOE 546)		
	PS 177 346 Avenue P		(1) Not visited except to drop off closing materials, not surveyed during election day. (BOE 214)		
	PS 185 8601 Ridge Boulevard		(1) AD Comment "Entrance is through lunch room and aisle may be too narrow for wheelchair." (BOE 329)		
	PS 104 9115 5 Ave		(1) No door clerk. (2) AD comment: "Space too small." (BOE 341-342)		
	Apt House 28 Marine Ave		(1) Signage not properly posted outside main entrance. (2) Accessible entrance doors closed. (3) No door clerk present. AD Comment: "A door clerk would help" (BOE 334-335)		
	Apt House 9000 Shore Road				
	St John's Ch & Sr Ctr 461 99 Street		(1) No door clerk. (BOE 338)		
	Downstate SUNY Med Ctr 691 92 Street				
	Our Savior's Church		(1) No door clerk at		

	414 80 Street		alternative accessible entrance. (BOE 413)		
	PS 201 JHS 8010 12 Ave				
	PS 204 8101 15 Ave		(1) AD Comment "This site needs more handicap signs due to an inconvenient handicap accessible location. (at least 8 requested in AM)." (BOE 145) (2) Later in the day: No sign for alternative accessible entrance. AD Comment "Not enough signs." (3) AD comment "2 people wheel away." (BOE 322)		
	PS 229 1400 Benson Ave				
	Co-Op 2475 West 16 Street				
	Marlboro Comm Ctr 2298 West 8 Street				
	Youth Center 2735 Harway Ave		(1) No door clerk at this site. (BOE 182)		
	Co-Op Bldg 5C 545 Neptune Ave				
	Co-Op 2770 West 5 Street				
	Co-Op 425 Neptune Ave				
	W Grady Voc HS 25 Brighton 4 Road				
	YWHA				

	3300 Coney Island Ave				
	Brightwater Comm Rm 501A Surf Ave				
	Trump Village Bldg 2 3000 Ocean Parkway		<p>(1) AD Comment "Accessible ramp/ entrance is through the tenant area and a key is needed for the door."</p> <p>(2) "There were not enough poll workers for a door clerk."</p> <p>(3) No sign marking the alternative handicapped entrance or the directions to the alternative accessible entrance. (BOE 259-260)</p>		
	Co-Op 458 Neptune Ave				
	Co-Op 2935 West 5 Street				
	Co-Op 444 Neptune Ave				
	Trump Village Bldg 1 2940 Ocean Parkway				
	Co-Op 2820 Ocean Parkway				
	Co-Op 2785 West 5 Street		<p>(1) AD Comment "Room too cluttered for a wheelchair."</p> <p>(2) "Every year the inspectors and voters complain about the therapy</p>		

			room. It is never emptied out and the space inappropriate for its use!" (BOE 308)		
	Co-Op Bldg 7 2942 West 5 Street				
	Co-Op 2928 West 5 Street				
	PS 90 2840 West 12 Street				
	Liberation High School 2865 West 19 Street				
	PS 288 2950 West 25 Street				
	Haber House 3024 West 24 Street				
	PS 329 2929 West 30 Street				
	Comm Rm Bld #2 3030 Surf Ave		(1) No door clerk. (BOE 266)		
	NYCHA Project 2945 West 33 Street				
	Chapel 3715 Surf Ave				
	Sea Rise Apts 2750 West 33 Street		(1) No signage posted, or delivered. (2) No BMD delivered in the morning. (3) No record of either issue being fixed. (BOE 277)		
	PS 95 345 van Sicklen Street				
	Shore View NH 2865 Brighton 3 St				
	Youth Ctr 2735 Harway Ave				
	Contello Towers #2 2740 Cropsey Ave		(1) AD Comment "Door clerk needed		

			for accessible entrance doors.” (BOE 188).		
	Bldg 1 Comm Rm 2630 Cropsey Ave				
	Regina Pacis 2424 Cropsey Ave				
	PS 97 1855 Stillwell Ave				
	Beach Haven Ctr 675 Ave Z		(1) “No door clerk assigned” (BOE 194)		
	IS 228 228 Ave S & W 4 St		(1) Accessible entrance signs not properly posted. (2) AD Comment “Handicapped entrance not changed – requires an elevator.” (3) No Door clerk at accessible entrance. (4) Accessible entrance appears shut for some of the day from AD Comment: “Door clerk cannot be at place assigned during recess when children are in the school yard. Must go back to original space. This doesn’t work.” (BOE 223-225)		
	PS 281 JHS 8787 24 Ave				
	Apt Bldg 8869 20 Ave		(1) AD Comment “Dark, dingy, inadequate lighting, and		

			<p>bathrooms unsanitary – voting area confined, pipes exposed.”</p> <p>(2) Key for BMD machine missing. (BOE 197)</p>		
	IS 281 8787 24 Ave				
	PS 128 8310 21 Ave				
	PS 682 50 Ave P				
	PS 247 7000 21 Ave				
	IS 96 99 Ave P		(1)Only visited to drop off closing materials, not surveyed during election day. (BOE 229)		
	PS 205 6701 20 Ave				
	PS 226 6006 23 Ave		(1)Only visited except to drop off closing materials, not surveyed during election day. (BOE 217)		
	PS 121 5301 20 Ave				
	Haym Salomon Home 2340 Cropsey Ave		<p>(1) Signage was not properly posted outside. AD monitor reported they were not able to locate a sign to post outside.</p> <p>(2) No directional arrows to the accessible entrance.</p> <p>(3) No signs</p>		

			posted. (4) No door clerk. (BOE 211)		
	Friends Field 1310 East 4 Street				
	PS 192 4715 18 Ave				
	PS 223 IS 4200 16 Ave				
	PS 180 5601 16 Ave				
	PS 105 1031 59 Street				
	PS 160 5105 Ft Hamilton Parkway				
	PS 220 JHS 4812 9 Ave				
	PS 176 1225 Bay Ridge Ave				
	IS 259 7301 Ft Hamilton Parkway		<p>1)Signage not posted outside "Wind blew off"</p> <p>2)Signage marking accessible entrance inadequate</p> <p>3)Directional signage to accessible entrance inadequate</p> <p>AD Comment: "People little lazy about making sure sign don't fly away"</p> <p>4) Not compliant with pre-cleared accessible schematic. "School used space for their own use, set up chairs where</p>		

			there were supposed to be privacy booths.” (BOE 957 – 958)		
	PS 127 7805 7 Ave				
	PS 69 6302 9 Ave		(1)“Door person Marie Laurusso is unable to properly do her job.” (BOE 962)		
	St Agatha 736 48 Street				
	PS 170 7109 6 Ave		(1) Not compliant with pre-cleared accessible schematic. “Site was not according to schematic. . . . Site seemed too crowded and confusing” (BOE 483)		
	PS 506 / 503 / 314 343 60 Street		(1) Handicapped signage missing. (BOE 49)		
	Telecommunication s HS 350 67 Street				
	IS 187 1171 65 Street				
	PS/IS 180 5601 16 Ave				
	PS 227 JHS 6500 16 Ave		(1) AD Comment “The set-up could be a problem for a handicap person. If elevator is not working they cannot vote in basement” (BOE 165)		
	PS 163 1664 Benson Ave				
	New Utrecht HS 1601 80 Street		(1) Not compliant with pre-cleared accessible		

			schematic: AD Comment "I was informed that the poll site location was wrong and the school hasn't complied for the last 15 years. The lobby is no place for the poll site." (BOE 138)		
	PS 186 7601 19 Ave				
	PS 48 6015 18 Ave				
	PS 200 1940 Benson Ave				
	Kingsview Comm Hall 130 St Edwards Street				
	PS 46 100 Clermont Ave		(1)Ramp not set up properly. AD Comment: "Ramp has not hand rails then steep incline inside building and raised section between two sections" (BOE 931)		
	PS 20 225 Adelphi Street		(1)"Main entrance has broken asphalt and steep slope before you reach the ramp" (BOE 928)		
	PS 67 51 St Edwards Street		1) "Ramp has no hand rails. Very difficult to locate around building. Ramp location needs improvement at this school" 2) "Ramp for		

			handicapped not marked well enough with signs" (BOE 934)		
	PS 270 241 Emerson Pl				
	PS 157 850 Kent Ave				
	PS 380 370 Marcy Ave		(1)AD Comment "Site too small for not only public but poll workers as well" (BOE 920)		
	PS 307 209 York Street				
	IS 71 215 Heyward Street				
	PS 16 157 Wilson Street				
	Towers Sr Ctr 114 Taylor Street				
	Williams Ctr 323 Roebling Street				
	PS 250 108 Montrose Ave				
	PS 19 325 South 3 Street				
	Village Comm Room 60 Division Ave		(1)No door clerk. (BOE 910)		
	JHS 50 183 South 3 Street				
	PS 84 250 Berry Street		(1)No door clerk (BOE 904)		
	PS 17 208 North 5 Street				
	JHS 126 424 Leonard Street				
	McGuinness Sr Ctr 715 Leonard Street				
	PS 34 131 Norman Ave				
	PS 132 320 Manhattan Ave				
	St Francis Ch Hall 213 Woodpoint Road				

	St Cecelia 24 North Henry Street				
	PS 110 124 Monitor Street				
	Dupont Sr Hses 80 Dupont Street		(1)Missing all BMD supplies (BOE 947)		
	PS 15 New 71 Sullivan Street				
	PS 27 27 Huntington Street		(1) No hand rail on ramp. (2) AD Comment: "Portable ramp was flimsy" . . . and "is not safe, too light, and should be replaced." (3) No indication either problem was corrected (BOE 20-21)		
	PS 142 JHS 610 Henry Street		(1) No signage because signage not in the supply cart. (2) No handicapped signage at the accessible entrance. (3) No directional arrow signage. (4) Signage problems couldn't be corrected. (5) No door clerk for accessible entrance. (BOE 112)		
	PS 172 825 4 Ave				
	PS 24				

	427 39 Street				
	PS 136 JHS 4004 4 Ave				
	PS 1 309 47 Street				
	PS 169 4305 7 Ave				
	West End Gardens 1006 44 Street				
	PS 94 5010 6 Ave				
	PS 971 6214 4 Ave				
	PS 314 / 503 / 506 343 60 Street				
	PS 58 330 Smith Street				
	PS 321 180 7 Ave		(1) Site not compliant with pre-cleared accessible schematic. "Principal refused to let the coordinator set up at the designated site and moved the site from the gym to the auditorium." (BOE 99)		
	PS 282 180 6 Ave				
	PS 9 New 80 Underhill Ave				
	Bethel Baptist Ch 265 Bergen Street		(1)"Missing BMD book (not received)" (BOE 644)		landing at top of the ramp blocked by placement of table – interferes with ability to turn (photo) 2 leaf ininter door only one leaf open (opening)

					27"). Area at top of interior ramp has tiles removed (?) BMD set up against wall facing out (no privacy). No chain provided for measuring.
	Wyckoff Comm Ctr 280 Wyckoff Street				
	PS 38 450 Pacific Street		(1) No handicap signage at entrance. (2) No directional signage to the accessible entrance. (3) Not able to locate signage and rectify problem. No other indication problem was corrected. (BOE 79)		
	PS 261 314 Pacific Street		(1) Interior doors closed and/or obstructed. (BOE 77)		
	Global Studies 284 Baltic Street				
	PS 29 425 Henry Street		AD Monitor Comments: (1) Accessible entrance door bell not working. (2) No door clerk at accessible entrance.		

			(3) Accessible door closed/ Custodian keeps closing door. (4) Portable ramp not set up properly." (BOE 130-132)		
	Bklyn Borough Hall 209 Joralemon Street		(1) Key for BMD missing. (BOE 120)		
	St Ann's & Holy Trinity 157 Montague Street		(1) No door clerk at accessible entrance. (BOE 134)		
	Cong Mt Sinai 250 Cadman Plaza West				
	Cadman Towers 101 Clark Street				
	First Unitarian Ch 119A Pierrepont Street				
	Cadman Plaza North 140 Cadman Plaza West				
	St James Pavilion 240 Jay Street		(1)"BMD missing foot pedal, head phones – everything in package voters sign . . . BMD light out." (638)		
	PS 32 317 Hoyt Street		(1) Ramp not set up properly. (BOE 74)		
	IS 291 231 Palmetto Street				
	Cooper Ctr 76 Kingsland Ave				
	Hope Gardens 195 Linden Street				
	Vetro Apts Ten Assoc 320 Devoe Street				
	Noll St Apts				

	43 Central Ave				
	Swinging 60's Sr Ctr 211 Ainslie Street				
	JASA Senior Center 202 Graham Ave				
	Jennings Hall Sen Ctr 260 Powers Street				
	IS 50 JHS 183 South 3 Street				
	PS 18 101 Maujer Street				
	PS 196 207 Bushwick Ave				
	PS 257 60 Cook Street				
	Bushwick /Hylan Ctr 50 Humboldt Street				
	IS 162 1390 Willoughby Ave				
	IS 33 70 Tompkins Ave		1) Ramp not set up properly. 2) Not compliant with pre-cleared accessible schematic. "Principal moved polling site to auditorium stage" (BOE 853-854)		
	Rheingold Gardens 555 Bushwick Ave				
	Evergreen Troutman 78 Troutman Street				
	Penny Yates Apts 63 Central Ave				
	RBSCC Sr Ctr 143 Himrod Street				
	Plaza Senior Center 297 Wilson Ave				
	Ridgewood Sr Ctr 319 Stanhope Street				
	Sister Lucian Sr Housing 415 Bleeker Street		(1)No door clerk (BOE 1325)		

	Buena Vida Residence 48 Cedar Street				
	PS 120 18 Beaver Street				
	PS 23 545 Willoughby Ave				
	PS 59 211 Throop Ave				
	PS 256 114 Kosciusko Street		1) "Need more Handicap Missing" "Missing most of the signs" 2) Signs not properly posted at exterior. (BOE 681)		
	PS 304 280 Hart Street				
	PS 274 800 Bushwick Ave				
	PS 81 990 De Kalb Ave		(1)Insufficient accessibility signage. AD Comment: "Inspectors didn't realize that more signs should have been hung." (BOE 840)		
	PS 26 New 1014 Lafayette Ave				
	PS 299 88 Woodbine Street		(1)Ramp at accessible entrance not set up properly. No indication it was fixed. (2) Not compliant with pre-cleared accessible schematic. "Set up had to be		

			reconfigured for smaller available space" (BOE 844-845)		
	PS 377 200 Woodbine Street				
	PS 296 JHS 125 Covert Street		(1)Handicap signage missing. (BOE 819)		
	PS 151 763 Knickerbocker Ave				
	PS 384 242 Cooper Street				
	St Thomas Sr Ctr 725 Evergreen Ave				
	PS 73 241 MacDougal Street		(1)AD Comment: "The space for the poll workers and the public is too small. The lighting is terrible. It is dark even in the day light."(BOE 797)		
	PS 290 135 Schenck Ave				
	PS 108 200 Linwood Street		(1)No door clerk (BOE 835)		
	IS 302 332 Linwood Street				
	PS 65 700 Jamaica Ave				
	Cypress Hill Sr Center 3208 Fulton Street				
	PS 345 111 Berriman Street				
	IS 171 528 Ridgewood Ave				
	Transit Tech HS 1 Wells Street				
	PS 59 211 Throop Ave		(1) Ramp has no hand rails AD Comment re hand		

			rails is "none for 5 years." (BOE 847)		
	PS 5 New 820 Hancock Street				
	PS 21 180 Chauncey Street				
	PS 137 121 Saratoga Ave		(1) Handicap sign improperly placed. (BOE 759)		
	Senior Citizen Center 930 Halsey Street				
	Ocean Hill Comm Ctr 305 MacDougal Street				
	PS 28 1001 Herkimer Street				
	PS 155 1355 Herkimer Street				
	PS 178 2163 Dean Street		(1) "Door to wheelchair entrance still locked. Was contacted by custodian." (8:15am) (BOE 770)		
	Atlantic Towers 216 Rockaway Ave				
	Wayside Comm Ctr 1630 St Marks Ave				
	PS 332 51 Christopher Ave		(1) No indication it was visited (blank evaluation sheet) (BOE 738)		
	WM Maxwell HS 145 Pennsylvania Ave		(1) No indication it was visited (blank evaluation sheet) (BOE 747)		
	Mr. Lucky's 533 Liberty Ave				
	PS 292 300 Wyona Street		(1)No indication it was visited (blank evaluation sheet)		

			(BOE 750)		
	PS 298 85 Watkins Street		(1)No indication it was visited (blank evaluation sheet) (BOE 741)		
	Hugh Gilroy Sr Ctr 447 Kingsborough 4 Walk				
	PS 335 130 Rochester Ave				
	Albany Center 164 Troy Ave				
	MS 394 188 Rochester Ave				
	PS/IS 156 104 Sutter Ave				
	PS 327 111 Bristol Street				
	PS 189 1100 East New York Ave				
	Elliot Graham Houses 663 Howard Ave				
	PS 323 210 Chester Street		(1)Ramp not set up properly. (BOE 808)		
	PS 150 364 Sackman Street		(1)No indication it was visited (blank evaluation sheet) (BOE 753)		
	PS 252 JHS 1064 Lenox Road		(1)Not compliant with pre-cleared accessible schematic. "The play room floor was still wet from being waxed so all poll equipment and personnel was moved to the auditorium" (BOE 1377)		
	Sr Citizens Club 430 Dumont Ave		(1)No indication it was visited (blank evaluation sheet) (BOE 732)		

	MS 334 / MS 354 1224 Park Place				
	Senior Center 196 Albany Ave				
	PS 243 1580 Dean Street		(1)"Missing supply bag for BMD & Handicap supplies" (BOE 731)		
	PS 93 31 New York Ave				
	Stuy-Park Houses 77 New York Ave				
	PS 54 New 195 Sandford Street				
	PS 258 JHS 141 Macon Street				
	Risley Dent Apts 1595 Fulton Street				
	PS 262 500 Macon Street		(1) Missing supplies for BMD including gloves, headset, paddle. (BOE 725)		
	Old Boys High School 832 Marcy Ave				
	PS 305 344 Monroe Street				
	PS 44 432 Monroe Street		(1)BMD does not have headphones. (BOE 662)		
	PS 308 616 Quincy Street				
	Stuyvesant Grdns II 150 Malcolm X Blvd				
	PS 309 794 Monroe Street				
	Goodwin Sr Ctr 55 Goodwin Place		1) Signs not properly posted AD Comment: "What outside signage was missing? <i>Everything.</i> " 2) No directional arrows to		

			<p>alternative accessible entrance.</p> <p>3) No signs posted at accessible entrance.</p> <p>4) No BMD. (BOE 684)</p>		
	<p>Cornerstone Sr Housing 550 Greene Ave</p>		<p>1) Signage not properly posted outside.</p> <p>2) Signage for accessible entrance not properly posted.</p> <p>3) Directional signage to the accessible entrance not posted.</p> <p>4) Alternate entrance signs not filled out.</p> <p>5) Accessible door closed.</p> <p>6) No door clerk</p> <p>(BOE 654-655)</p>		
	<p>PS 25 787 Lafayette Ave</p>				
	<p>PS 320 / PS 375 46 McKeever Place</p>				
	<p>Clara Barton Voc HS 901 Classon Ave</p>				
	<p>PS 316 750 Classon Ave</p>				
	<p>PS 11 New 419 Waverly Ave</p>				
	<p>PS 22 443 St Marks Ave</p>				

	Brooklyn Museum 200 Eastern Parkway				
	Bklyn Tech HS 2 South Elliott Place				
	Sterling HS 510 Clermont Ave				
	Edmonds Ctr (IS 113) 300 Adelphi Street				
	PS 56 New 170 Gates Ave				
	Bedford Vlg Sch (PS 3) 50 Jefferson Ave				
	Mt Sinai Church 84 Quincy Street		(1) "No door clerk assigned per Board of Elections" (BOE 604)		
	PS 287 50 Navy Street				
	Willoughby Walk Co-Op 195 Willoughby Ave				
	PS 198 4105 Farragut Road				
	St Augustines Parish Hall 4301A Avenue D				
	St Therese Church 1281 Troy Ave				
	St Augustines Comm Rm 4301 Ave D				
	PS 244 5404 Tilden Ave		(1) Alternate accessible entrance signs not posted (BOE 503)		
	PS 219 1060 Clarkson Ave				
	PS 233 9301 Ave B				
	Gorman Hses 1381 Linden Boulevard				

	Jimerson Hses 1411 Linden Boulevard		(1) No door clerk. AD Comments "It was sad that the board did not send a door clerk" at the accessible entrance" (BOE 476)		
	PS 242 100-01 Flatlands Ave				
	PS 211 JHS 1001 East 100 Street				
	PS 114 1077 Remsen Ave				
	PS 66 IS 845 East 96 Street		(1)No BMD Key (BOE 480)		
	PS 272 101-24 Seaview Ave				
	PS 115 1500 East 92 Street				
	PS 276 1070 East 83 Street				
	Canarsie HS 1600 Rockaway Parkway				
	PS 207 Annex Early Childhd Ctr 3920 Flatlands Ave		(1) No signage at accessible entrance. AD Comment "Need handicap sing at alternate entrance." (BOE 347)		
	PS 312 7103 Ave T		(1) Accessible entrance signs not posted properly. (2) Directional arrows to accessible entrance not posted. (BOE 463)		
	PS 236 6302 Ave U				
	St. Columba's				

	Church 2245 Kimball Street				
	Hall 43 Seba Ave				
	PS 207 4011 Fillmore Ave		(1) Insufficient exterior signage. AD Comment: "Not enough disability signs for space." No indication problem was rectified. (2) Ramp not in place and set up properly. (BOE 442-444)		
	Vet Post 5601 Ave N				
	PS 222 3301 Quentin Road				
	Palm Beach NH 2900 Bragg St				
	Bay Ridge Air Rights 350 65 Street		(1) Interior doors to the poll room not open and clear of obstructions. No indication problem was fixed. (BOE 410)		
	Bay Ridge Air Rights 260 65 Street				
	PS 102 211 72 Street				
	Ft Hamilton HS 8301 Shore Road		(1) Not compliant with pre-cleared accessible schematic. AD Comment: "There was a problem setting up the site, the schematic had to be amended.		

			There seems to be a problem with student crowd control. Voters complained they ere unable to pass easily to get to their voting site. Teachers took a while to get students to the side of the cafeteria to make a passage for voters." BOE 417		
	Apt House 7502 Ridge Boulevard		(1) No door clerk at alternative accessible entrance. (BOE 398)		
	Apt House 9000 Shore Road				
Manhattan					
	Coler Hospital 900 Main Street				
	Goldwater Hospital 1 Main Stret				
	PS 751 113 East 4 th Street				
	The Hermitage 1295 5 th Ave		(1) Interior access barriers (CIDNY survey)		
	Bard H.S.E.C. – 97 525 East Houston Street	(1) Exterior signage barriers (CIDNY survey) (2) Entry / pathway barriers (CIDNY survey) (3) Interior signage barriers (CIDNY survey)			
	Westbeth Housing 155 Bank Street				
	JASA Community Ctr		(1) Exterior Signage		

	200 East 5 th Street		barriers (CIDNY Survey)		
	Manhattan North 2036 Amsterdam Ave				
	Los Tres Unidos 22 East 112 Street			(1) entry / pathway barriers (CIDNY Survey) (2) Interior signage barriers (CIDNY survey) (3) Interior Access barriers (CIDNY survey)	
	HS Fashion Industry 225 West 24 th Street				
	PS 92 222 West 134 Street				
	PS 84 32 West 92 nd Street				
	PS 206 508 East 120 th Street				
	PS 52 650 Academy Street				
	Washington Sq SE Ap 505 Laguardia Place				
	Bayard Rustin HS 351 West 18 th Street				
	The Door 555 Broome Street				
	Lesbian and Gay Ctr 208 West 13 th Street				
	Hayden Hall 33 Washington Square West				
	Prospect Tower 45 Tudor City Place		(1) Exterior signage barriers (CIDNY		

			Survey) (2) entryway barriers (CIDNY Survey)		
	Sirovich Senior Center 331 East 12 th Street	(1) Entry / pathway barriers (CIDNY survey) (2) Interior signage barriers (CIDNY survey)			
	Brachetti Plaza 296 East 4 th Street				
	Compos Community Ctr 611 East 13 th Street	(1) Interior access barriers (CIDNY survey)			
	UTACPT 125 West 109 th Street				
	Pelham Fritz Rec Center 18 Mt Morris Park West	(1) Entry / pathway barriers (CIDNY Survey)	(1) Exterior signage barriers (CIDNY survey)		
	Windsor Tower 5 Tudor City Place	(1) Exterior signage barriers (CIDNY survey) (2) entry / pathway barriers (CIDNY survey) (3) Interior signage barriers (CIDNY survey)			
	PS 234 (Independence) 292 Greenwich Street	(1) Interior signage barriers (CIDNY Survey) (2) Interior access barriers (CIDNY survey)			
	Sutton Place Synagogue 225 East 51 st Street				
	Peter Cooper Village 360 1 Ave				

	East Harlem Council 413 East 120 Street		(1) Inaccessible Ramp (CIDNY survey)		
	Tiemann Apts (Columbia Univ) 549 Riverside Drive		(1) Exterior signage barriers (CIDNY survey) (2) Entry / pathway barriers (CIDNY survey) (3) Interior signage barriers (CIDNY survey) (4) Interior access barriers (CIDNY survey)		
	YM & YWHA (Nagle Ave) 54 Nagle Ave				
	Hunter College 128 East 68 th Street				
	IS 218 4600 Broadway				
	Barrier Free Living 270 East 2 nd Street	(1) Inaccessible Ramp (CIDNY survey) (2) Entry / pathway barriers (CIDNY survey) (3) Interior access barriers (CIDNY survey)			
	Inwood Towers 11 Fort George Hill		(1) Interior access barriers (CIDNY survey)		
	Local 802 322 West 48 th Street				
	Seward Park I 266 East Broadway				
	Rena Day Care Ctr 639 Edgecombe Ave				
	Seward Park II			(1) Exterior	

	210 East Broadway			signage barriers (CIDNY survey) (2) Entry / pathway barriers (CIDNY Survey) (3) Interior access barriers (CIDNY survey)	
	Seward Park III 415 Grand Street				
	East River Housing I 570 Grand Street				
	East River Housing II 575 Grand Street				
	2 nd Canaan Baptist 10 Lenox Ave				
	Tweemill House 145 East 126 th Street				
	Inwood Terrace 99 Hillside Ave				
	Asser Levy Recreation Center 501 East 23 rd Street				
	Promenade 150 West 225 Street				
	Time Square Hotel 255 West 43 rd Street				
	Carver Houses 1481 Madison Ave				
	Dorchester Towers 155 West 68 th Street				
	Central Harlem Senior Coalit. 120 West 140 th Street	(1) Entry/pathway barriers (CIDNY survey) (2) Interior access barriers			

		(CIDNY survey)			
	One Lincoln Plaza 20 West 64 th Street				
	Rutgers House 200 Madison Street				
	Normandie Court 225 East 95 th Street			(1) Inaccessible ramp (CIDNY survey) (2) Exterior Signage barriers (CIDNY Survey) (3) Interior signage barriers (CIDNY survey) (4) Interior access barriers (CIDNY survey)	
	Metro Community Church 446 West 36 th Street				
	Lenox Hill Senior Center 343 East 70 th Street				
	Clinton Community Center 456 West 37 th Street				
	Wadleigh HS 215 West 114 th Street				
	Henry Brooks Senior House 304 West 154 Street			(1) entry / pathway barriers (CIDNY	
	Euclid Hall Senior Center 2345 Broadway			(1) Exterior signage barriers	

				(CIDNY Survey) (2) Interior access barriers (CIDNY survey)	
	Theater for New City 155 1 st Ave	(1) Entry / pathway barriers (CIDNY survey)			
	Coliseum Park Apts 345 West 58 th street				
	Mayfair Tower 15 West 72 nd Street				
	NYCJW- Council Sr Ct 241 West 72 nd Street	(1) Interior access barriers (CIDNY survey)			
	Bridge Apts 1370 St Nicholas Ave				
	CUNY HQ 535 East 80 th Street				
	Church of St. Paul & St Andrew 263 West 86 th Street		(1) Exterior signage barriers (CIDNY survey) (2) Entry / pathway barriers (CIDNY Survey)		
	Max Meltzer Community Ctr 94 East 1 st Street				
	J K Onassis HS 120 West 46 th St				
	Marseilles Senior Center 230 West 103 rd Street	(1) Entry/ Pathway barriers (CIDNY Survey) (2) Interior Signage barriers (CIDNY survey)	(1) Interior signage barriers (CIDNY survey)		
	Oberia Dempsey Ctr 127 West 127 th St	(1) Exterior signage barriers (CIDNY survey)			

		(2) Entry / pathway barriers (CIDNY survey)			
	Northern Man. Nur Hm 116 East 125 St		(1) Exterior signage barriers (CIDNY Survey) (2) Interior access barriers (CIDNY survey)		
	Ter Card Cookie Ctr 1249 5 Ave				
	PS 176 4862 Broadway				
	390 Riverside Drive 390 Riverside Drive				
	Baruch College Campus HS 55 East 25 th Street		(1) Entry / pathway barriers (CIDNY Survey) (2) Interior access barriers (CIDNY survey)	(1) Interior access barriers (CIDNY survey)	
	Tiano Towers 2253 3 Ave				
	Fash Institute Tech 298 7 th Ave				
	HS Environment Studies 444 West 56 th Street				
	Park East Synagogue 164 East 68 th St				
	St Anthony's Church 155 Sullivan St				
	PS 217 645 Main Street				
	Dewitt Clinton Ctr 120 East 110 Street		(1) Entry / pathway barriers (CIDNY survey)		
	Gen Grant Houses 75 La Salle Street				
	Gen Grant Houses II 1295 Amsterdam Ave				
	Yeshiva U – Cardozo Sch Law				

	55 5 th Ave				
	Carlyle Court 25 Union Square West		(1) Entry / pathway barriers (CIDNY survey) (2) Interior access barriers (CIDNY Survey)		
	Andrew Heiskell Library 40 West 20 th Street				
	New York Law School 47 Worth Street	(1) Interior access barriers (CIDNY survey)			
	Liberty High School 250 West 18 th Street				
	The 467 Condominium 467 Central Park West		(1) Interior access barriers (CIDNY survey)		
	Wash Square Village 2 2 Washington Square Village				
	Wash Square Village 3 3 Washington Square Village				
	Renwick Gardens 332 East 29 th Street				
	Trump Place 180 Riverside Boulevard				
	Ft. George Center 1525 St Nicholas Ave				
	University Hall 110 East 14 th Street				
	West Side High School 140 West 102 Street				
	Kurt & Leah Apts 11 West 102 Street				
	PS 89 201 Warren Street	(1) Exterior signage barriers (CIDNY survey)			

		(2) Entry / pathway barriers (CIDNY survey)			
	Master Apartments 310 Riverside Drive				
	Prince George Hotel 14 East 28 th Street				
	HS for Leadership 90 Trinity Place				
	Confucius Plaza 33 Bowery				
	Metro Council on Jewish Pov. 351 East 61 Street				
	PS 4 500 West 160 Street				
	Nagle House 240 Nagle Ave				
	Residential Building 45 Wall Street				
	The Regatta 21 South End Ave				
	Union Baptist Church 240 West 145 th St				
	Red Oak Apartments 135 West 106 th St	(1) Interior access barriers (CIDNY survey)			
	CWA – 1180 97 Hudson St				
	River Place 1 650 West 42 nd St				
	YMCA (McBurney) 125 West 14 th St				
	School of Co-op Education 321 East 96 th St			(1) Inaccessible ramp (CIDNY Survey)	
				(2) Interior access barriers	

				(CIDNY survey)	
	PS 48 4360 Broadway				
	Rutgers Presbyterian 236 West 73 rd St				
	Armenian Church 630 2 nd Ave				
	St Nicholas Sr Ctr 210 West 131 St				
	The Churchill 300 East 40 th St	(1) Interior access barriers (CIDNY survey)			
	Samuels Community Center 669 Malcolm X Boulevard				
	Halidon Court 3681 Broadway				
	Seward Park High School 350 Grand Street	(1) Inaccessible ramp (CIDNY Survey) (2) Exterior signage barriers (CIDNY survey) (3) entry / pathway barriers (CIDNY survey) (4) Interior signage barriers (CIDNY Survey) (5) Interior access barriers (CIDNY survey)			
	CUNY 365 5 th Ave				
	Marymount Manhattan College 221 East 71 st Street		(1) Interior Signage Barriers (CIDNY Survey) (2) No exterior signage (BOE 3341)		
	Holy Trinity				

	Cathedral 337 East 74 th Street				
	Lighthouse International 110 East 60 th Street				
	Emanuel Church 2184 8 th Ave				
	Antler Apartments 2079 8 th Ave				
	Boricua College 3755 Broadway				
	Covenant House 460 West 41 st St				
	Baruch College Vertical Campus 55 Lexington Ave				
	250 West 94 th St 250 West 94 th St				
	Continental East 353 East 83 rd St				
	Central Syn Pavilion 652 Lexington Ave			(1) Exterior signage barriers (CIDNY Survey) (2) Interior access barriers (CIDNY survey)	
	Kateri Residence 150 Riverside Drive				
	Columbia Housing 2700 Broadway	(1) Interior access barriers (CIDNY Survey)			
	Wein Hall 411 West 116 th St				
	The Riverside Church 91 Claremont Ave				
	Highbridge Rec CTR 231 Amsterdam Ave				
	Church of Jesus Christ LDS 221 East 87 th St				
	Eleanor Roosevelt				

	HS 411 East 76 th St				
	Adam Clayton Powell Jr St. Bldg 163 West 125 th St		(1) Interior access barriers (CIDNY survey)		
	UPACA 6 Senior Center 1940 Lexington Ave				
	Clinton Senior Center 530 West 55 th St		(1) Exterior signage barriers (CIDNY Survey) (2) Entry / Pathway Barriers (CIDNY survey) (3) Interior access barriers (CIDNY survey)		
	Cathedral HS 350 East 56 th St				
	Stuyvesant Town VI 525 East 14 th St				
	Stuyvesant Town VII 3 Stuyvesant Oval				
	PS 98 530 West 212 th St				
	Martin Luther King Comm Ctr 2 West 115 th St				
	Unity Center 213 West 58 th St				
	St. Luke's Episcopal Center 435 West 141 St				
	Alumni Hall 33 3 rd Ave				
	MS 114 331 East 91 st St				
	City Planning 22 Reade St				
	Boys & Girls Republic 888 East 6 th St				
	Holy Family Church 315 East 47 th St				

	Park West High School 525 West 50 th St				
	PS 276 55 Battery Place				
	UASBYW 81 New Street				
	St Stephen of Hungary Parish 414 East 82 nd St				
	PS 184 M 327 Cherry St				
	Metro North / River Crossing 1956 1 st Ave				
	Cascades High School 198 Forsyth St				
	The Palladium 133 East 13 th St				
	Stuyvesant Town II 10 Stuyvesant Oval				
	PS 9 100 West 84 th St				
	1775 Houss 107 East 126 th St		(1) Exterior signage barriers (CIDNY survey) (2) Interior access barriers (CIDNY survey)		
	Schwab House 11 Riverside Drive				
	Good Shepherd Church 104 Cooper St		(1) Inaccessible ramp (CIDNY survey) (2) Entry / pathway barriers (CIDNY survey) (3) Interior access barriers (CIDNY survey)		
	Civil Court 111 Centre St				

	N Thomas HS 111 East 33 rd St				
	Find Aid for Aged (Hargrave) 111 West 71 st St		(1) Entry / pathway barriers (CIDNY Survey) (2) Interior access barriers (CIDNY survey)		
	Triangle House 112 East 128 th St				
	PS 169 110 East 88 th St			(1) Exterior Signage barriers (CIDNY Survey)	
	PS 41 116 West 11 th St				
	Jewish Home & Hosp 120 West 106 th St				
	PS 63 121 East 3 Street				
	PS 2 (Meyer London) 122 Henry St				
	PS 36 123 Morningside Drive				
	PS 140 123 Ridge Street				
	Esplanade Gardens 129 West 147 th St				
	PS 72 131 East 104 th St				
	PS 166 132 West 89 th St	(1) Exterior signage barriers (CIDNY survey) (2) Entry / pathway barriers (CIDNY survey) (3) Interior Access barriers (CIDNY survey)			
	PS 144 (M242)	(1) Exterior			

	134 West 122 nd St	signage barriers (CIDNY survey)			
	Associated Blind 135 West 23 rd St				
	Baruch College Newman Hall 137 East 22 nd St	(1) Interior access barriers (CIDNY) survey			
	YM & YWHA (Lex. Ave) 1395 Lexington Ave				
	Lincoln Towers 140 West End Ave				
	Find Aid for Aged (Hamilton) 141 West 73 rd Street				
	PS 87 160 West 78 th St				
	PS 130 143 Baxter St				
	IS 44 100 West 77 nd St				
	PS 158 1458 York Ave				
	PS 133 2121 5 Ave				
	Jewish Guild 15 West 65 th St				
	Waterside Plaza 15 Waterside Plaza				
	PS 145 150 West 105 th St	(1) Inaccessible Ramp (CIDNY survey) (2) Exterior Signage barriers (CIDNY Survey) (3) Entry / Pathway barriers (CIDNY survey)		(1) Entry / pathway barriers (CIDNY Survey) (2) Interior Access barriers (CIDNY Survey)	
	Lincoln Towers II 150 West End Ave				
	158 St. Riverside Houses 156-20 Riverside Drive West				

	Jackie Robinson Complex 1573 Madison Ave				
	City As School 16 Clarkson Street				
	PS 7 160 East 120 th St				
	Lincoln Towers III 160 West End Ave				
	PS 108 1615 Madison Ave				
	Ruppert Yorkville Tower Condo 1619 3 rd Ave			(1) Inaccessible ramp (CIDNY Survey) (2) Exterior signage barriers (CIDNY survey) (3) Interior signage barriers (CIDNY survey) (4) Interior access barriers (CIDNY survey)	
	PS 163 163 West 97 th St				
	PS 20 166 Essex St				
	PS 198 1700 3 rd Ave		(1) Entry / pathway barriers (CIDNY survey) (2) Interior Access barriers (CIDNY survey)		
	United Methodist Church 1723 Madison Ave				

	Village View Housing 175 East 4 th St			(1) Entry / pathway barriers (CIDNY survey)	
	PS 175 175 West 134 th St	(1) Interior access barriers (CIDNY survey)			
	PS 153 1750 Amsterdam Ave				
	PS 57 176 East 115 Street				
	Stanley Isaacs Ctr 415 East 93 rd St		(1) Inaccessible ramp (CIDNY survey)		
	Mott Street Sr Ctr 180 Mott Street				
	Hamilton Heights Terrace 1833 Amsterdam Ave		(1) Inaccessible ramp (CIDNY Survey) (2) Interior access barriers (CIDNY survey)		
	PS 132 185 Wadsworth Ave				
	Lincoln Towers V 185 West End Ave				
	PS 171 19 East 103 rd St				
	Dunwell Plaza 1920 Amsterdam Ave			(1) exterior signage barriers (CIDNY Survey) (2) Interior access barriers (CIDNY survey)	
	Church Heavenly Rest 2 East 90 th St				
	Manhattan House 200 East 66 th Street				

	University Neighborhood 200 Monroe Street	(1) entry /pathway barriers (CIDNY survey)			
	Harlem Renaissance HS 22 East 128 th St				
	1199 Housing 2070 1 st Ave			(1) Entry/Pathw ay barriers (CIDNY Survey) (2) Interior signage barriers (CIDNY survey) (3) Interior access barriers (CIDNY survey)	
	Lincoln Towers VI 205 West End Ave				
	PS 116 210 East 33 rd St	(1) Exterior signage barriers (CIDNY Survey)	(1) Exterior signage barriers (CIDNY Survey) (2) Entry / pathway barriers (CIDNY survey) (3) Interior Signage barriers (CIDNY survey) (4) Interior access barriers (CIDNY survey)		
	Dewitt Nursing Home 211 East 79 th St				
	Drew Hamilton Houses 220 West 143 rd St				

	Riverton Apts 2200 Madison Ave				
	Ruppert House 222 East 93 rd St				
	PS 47 (Sch for Hearing Impaired) 225 East 23 rd St				
	PS 167 22 East 76 th St				
	Savoy Park Owner LLC 2300 5 th Ave	(1) Inaccessible ramp (CIDNY survey) (2) Exterior signage barriers (CIDNY survey) (3) entry / pathway barriers (CIDNY survey) (4) Interior signage barriers (CIDNY survey) (5) Interior access barriers (CIDNY survey)			
	Riverbend Housing 2301 5 th Ave	(1) Exterior signage barriers (CIDNY survey) (2) Entry / pathway barriers (CIDNY survey) (3) Interior signage barriers (CIDNY survey) (4) Interior access barriers (CIDNY survey)			
	PS 38 or 121 232 East 103 St				
	PS 165 234 West 109 th St			(1) Entry / Pathway	

				barriers (CIDNY Survey)	
				(2) Interior access barriers (CIDNY Survey)	
	PS 117 JHS 240 East 109 th St				
	PS 194 244 West 144 th St				
	PS 154 250 West 127 th St	(1) Exterior signage barriers (CIDNY Survey)			
		(2) Entry / Pathway barriers (CIDNY survey)			
		(3) Interior access barriers (CIDNY survey)			
	Lincoln Square Neighborhood Ctr 250 West 65 th St				
	PS 189 2580 Amsterdam Ave				
	Harlem River Houses 231 W 151 st St				
	PS 199 270 West 70 th St				
	Stuyvesant Town III 272 1 Ave				
	PS 33 281 9 th Ave				
	Stuyvesant Town IV 283 Ave C				
	Polo Ground Sr Ctr 2965 8 th Ave				
	PS 46 2987 8 th Ave				
	Lincoln Guild Housing				

	303 West 66 th St				
	LaGuardia Memor House 307 116 th St				
	PS 173 306 Ft Washington Ave				
	PS 290 (Manh New School) 311 East 82 nd St				
	PS 134 293 East Broadway				
	PS 102 315 East 113 th St				
	Gen Grant Houses IV 3150 Broadway		(1) Exterior signage barriers (CIDNY survey) (2) Interior access barriers (CIDNY survey)		
	Manhattan Inter. HS 317 East 67 th St				
	East Midtown Plaza 319 East 24 th St				
	PS 58 / Manhattan High School 317 West 52 nd St				
	PS 40 320 East 20 th St				
	Tweed Court 52 Chambers St				
	IS 70 333 West 17 th St				
	PS 187 349 Cabrini Boulevard				
	PS 180 370 West 120 th St				
	Dyckman Comm Ctr 3782 10 th Ave		(1) Exterior signage barriers (CIDNY survey)		
	Seward Park IV 383 Grand St				
	Manhattan Plaza L.P. 400 West 43 rd St				

	PS 149 41 West 117 th St				
	Columbia University Houses 410 Riverside Drive			(1) Interior access barriers (CIDNY Survey)	
	PS 183 419 East 66 th St				
	PS 146 421 East 106 th St				
	Yorkville Community School 421 East 88 th St				
	PS 125 425 West 123 rd St				
	PS 129 425 West 130 th St				
	PS 111 440 West 53 rd St				
	PS 188 or 196 442 East Houston Street	(1) Exterior Signage barriers (CIDNY Survey) (2) Entry / pathway barriers (CIDNY Survey)		(1) Exterior signage barriers (CIDNY survey) (2) Interior signage barriers (CIDNY Survey) (3) Interior access barriers (CIDNY survey)	
	John Jay College 4 45 West 59 th St				
	PS 6 45 East 81 st St				
	Inwood Gardens 45 Fairview Ave				
	East River Housing III 457 FDR Drive				
	PS 53 or 811				

	466 West End Ave				
	PS 28 475 West 155 th St				
	East River Housing IV 477 FDR Drive				
	St Margaret's House 49 Fulton St				
	PS 3 490 Hudson St				
	YMCA 5 West 63 rd St				
	PS 192 500 West 138 St				
	Amalamated Dwelling 504A Grand Street				
	PS 43/PS 172 509 West 129 th St		(1) Exterior signage barriers (CIDNY survey) (2) Interior access barriers (CIDNY survey)		
	Isabella Geriatric 515 Audubon Av				
	PS 143 515 West 182 nd St				
	PS 51 520 West 45 th St				
	Marble Hill Comm Ctr 5465 Broadway				
	NYU Brittany Hall 55 East 10 th St		(1) Exterior signage barriers (CIDNY Survey) (2) Interior signage barriers (CIDNY survey) (3) Accessible door locked and no door clerk present (BOE 3348)	(1) entry / pathway barriers (CIDNY survey) (2) Interior access barriers (CIDNY survey)	
	PS 79 or 811 55 East 120 th St				

	PS 128 560 West 169 th St				
	Hudson Piers #1 596 Riverside Drive				
	Abraham Lincoln House 60 East 135 th St				
	Riverview Tower 626 Riverside Drive				
	LaGuardia High School 100 Amsterdam Ave				
	Southbridge Tower 66 Frankfort Street				
	Stewart Tenant Corp 70 East 10 th St				
	PS 131 100 Hester St				
	Holy Rood Church 717 West 179 th St				
	PS 34 730 East 12 th St			(1) Entry / pathway barriers (CIDNY survey) (2) Interior signage barriers (CIDNY survey)	
	PS 75 735 West End Ave				
	Masaryk Towers 77 Columbia Street	(1) Inaccessible Ramp (CIDNY Survey) (2) entry / pathway barriers (CIDNY survey)			
	PS 1 8 Henry St				
	PS 126 80 Catherine St				
	Morningside Hgts Hous				

	100 Lasalle St				
	870 Riverside Housing 870 Riverside Drive				
	K'Hal Adath Jeshurun 90 Bennett Ave				
	PS 152 93 Nagle Ave				
	Ft Wash Serv for Eld 99 Ft Washington Ave				
	Int'l Pre-School 330 East 45 th St				
	Dunlap Building 1 Wards Island				
	Charles Hill Tower 2050 8 th Ave				
	Ralph Hernandez 189 Allen St		(1) Entry / pathway barriers (CIDNY Survey)		
	Canaan Tower IV 95 Lenox Ave				
	Riverside 3333A Broadway		(1) Exterior Signage barriers (CIDNY Survey) (2) Interior Signage barriers (CIDNY survey) (3) Interior access barriers (CIDNY survey)		
	JHS 118 154 West 93 rd St				
	Goddard Riverside 593 Columbus Ave		(1) entry / pathway barriers (CIDNY Survey) (2) Interior signage barriers (CIDNY survey)		
	Village East Towers 170 Avenue C		(1) Entry / pathway barriers (CIDNY Survey)		

			(2) Interior access barriers (CIDNY survey)		
Queens					
	PS 303 108-55 69 Ave		(1) No door clerk (BOE 1652) Second AD team: "No door clerk assigned to this site." (BOE 2284)		
	PS 16 41-15 104 St		(1) Improper exterior signage. (BOE 2013)		
	Forest Hills HS 67-01 110 St				
	PS 196 71-25 113 St		(1) Exterior signage barriers (CIDNY Survey) (2) Entry / pathway barriers (CIDNY survey) AD Comment: Not visited. "No time sorry." (BOE 1660)		
	PS 47 9 Power Road		(1) Inaccessible ramp (CIDNY Survey) (2) Exterior signage barriers (CIDNY Survey) (3) Entry / pathway barriers (CIDNY Survey) (4) Interior Access barriers (CIDNY Survey)		
	PS 29 125-10 23 Ave				
	Kew Gardens Hills Library				

	72-33 Vleigh Place				
	CWV Post 870 39-48 61 St				
	Lefferts Library 103-34 Lefferts Boulevard		(1) Not compliant with pre-cleared accessible poll site layout: "Due to limited space and electricity we had to deviate from the schematic." (BOE 2755)		
	Flushing House Resident Adult 38-20 Bowne St			(1) Interior access barriers (CIDNY survey)	
	Florence E Smith Comm Ctr 102-19 34 Ave		(1) Accessible door closed. (BOE 1877)		
	St Clares School 137-25 Brookville Boulevard			(1) Exterior signage barriers (CIDNY Survey) (2) Entry / pathway barriers (CIDNY survey) (3) Interior access barriers (CIDNY survey)	
	St. Sebastions School 39-76 58 St				
	St Nicholas of Tolentine 150-75 Goethals Ave				
	Thomas Edison HS 165-65 84 Ave				
			(1) Exterior signage		

			barriers (CIDNY Survey) (2) Entry / pathway barriers (CIDNY survey) (3) Interior access barriers (CIDNY survey)		
	PS 223 125-20 Sutphin Boulevard			(1) Interior access barriers (CIDNY survey)	
	Hillcrest HS 160-05 Highland Ave		(1) Exterior signage barriers (CIDNY Survey) (2) Entry / pathway barriers (CIDNY Survey) (3) Interior Access barriers (CIDNY survey)		
	Young Israel 716 Beach 9 St		(1) Entry / pathway barriers (CIDNY survey) (2) Interior Access barriers (CIDNY survey)		
	Boulevard Gardens 51-42 30 Ave		(1) Exterior signage barriers (CIDNY Survey) (2) Entry / pathway barriers (CIDNY survey) (3) Interior access barriers (CIDNY survey)		
	PS 7 80-55 Cornish Ave				
	PS 15		(1) AD Comment		

	121-15 Lucas St		"very poor lighting" and no indication this was fixed. (BOE 30)		
	PS 79 147-27 15 Drive				
	PS 78 48-09 Center Boulevard			(1) Entry / pathway barriers (CIDNY Survey) (2) Interior Access barriers (CIDNY survey)	
	IS 5 50-40 Jacobus St				
	Allen AME Senior Center 112-04 167 St				
	IS 230 73-10 34 th Ave				BMD not private. Placed near only outlet at main entrance (photo)
	Christ Lutheran Church 188-12 73 Ave		(1) Entry / pathway barriers (CIDNY Survey)		
	PS 222 86-17 37 th Ave		(1) Entry / pathway barriers (CIDNY survey)		
	PS 58 72-50 Grand Ave		(1) Improperly places access signage: "had to change handicap sign" (BOE 2956)		
	PS 92 99-01 34 Ave				
	IS 137 109-15 98 th St				
	PS 161 101-33 124 St		(1) "Assigned door clerk is absent."		

			(BOE 2446)		
	The Young Womens Leadership 150-91 87 Road		(1) Alternate accessible entrance not available, and accessible entrance is not used for all voters (BOE 1444) (2) Second AD Group: Not compliant with pre-cleared accessible room set up: "Room was overcrowded with school supplies, children, TVs etc. . . Schematic could not be followed." (BOE 2767)		
	Taiwan Center 137-44 Northern Boulevard	(1) Inaccessible ramp (CIDNY Survey) (2) Exterior signage barriers (CIDNY Survey) (3) Interior signage barriers (CIDNY survey) (4) Interior access barriers (CIDNY Survey)	(1) "No handrail on Ramp." (BOE 1556)	(1) Interior access barriers (CIDNY Survey)	
	Saint Albans Cong Church 172-17 Linden Boulevard		(1) Exterior signage barriers (CIDNY survey) (2) Interior access barriers (CIDNY survey)		
	Samaritan Village 138-02 Queens Boulevard				
	VFW Post 150 51-11 108 th St				

	Grace Houses 155-02 90 Ave				
	Forest Hills Library 108-19 71 Ave		(1) Not visited "Sorry no time." (BOE 1657)		
	Hillcrest Jewish Center 183-02 Union Turnpike				
	PS 270 233-15 Merrick Boulevard				
	PS 238 17-15 Weirfield St				BMD turning space was less than 5'. Electrical outlet and cord did not allow poll worders to set up BMD for privacy. (only extension cord there used for scanners)
	PS 234 30-15 29 St				
	Merrick Park Baptist Church 120-02 Marsden St				
	PS 254 84-40 101 St				
	VFW Post 885 120-19 14 Road		(1) Exterior signage barriers (CIDNY survey) (2) Entry / pathway barriers (CIDNY survey) (3) Interior access barriers (CIDNY survey)		
	Le Havre Club 168-68 9 Ave		(1) BOE Form is untouched. Likely		

			not visited. (BOE 2830)		
	Israel Senior Housing 1925 Seagirt Boulevard				
	Mary's Nativity Church 46-02 Parsons Boulevard				
	IS 59 132-55 Ridgedale Street		(1) No indication it was visited by BOE. (BOE 1696)	(1) Interior access barriers (CIDNY survey)	
	Immaculate Conception Church 86-45 Edgerton Boulevard		(1) Exterior signage barriers (CIDNY Survey) (2) Interior signage barriers (CIDNY survey) (3) Interior access barriers (CIDNY Survey)		
	Services for the Underserved 318 Beach 85 Street				
	Information Tech High School 21-16 44 Road				
	Sherwood Village "C" 99-30 59 Ave				
	PS 244 137-20 Franklin Ave	(1) Entry / pathway barriers (CIDNY survey)			
	Richmond Hill Library 118-14 Hillside Ave				
	PS 305 378 Seneca Ave		(1) Alternate accessible entrance doors closed. (2) No indication there is a door		

			clerk. (BOE 1951)		
	PS 306 95-16 89 Ave				
	Elmhurst Campus HS 45-10 94 St		(1) BOE Form untouched. No indication it was visited. (BOE 2031)		
	Christ Tabernacle Church 64-36 Myrtle Ave				No ADA privacy booth
	Woodside Library 53-22 Skillman Ave				
	Beach Channel HS 100-00 Beach Channel Drive				
	Ridgewood Presbyterian Church 59-14 70 Ave				Ramp was 35' 5" too steep and too long. Ratio was 23/ 8:24. The BMD had 48" clearance.
	St Margarets RC Church 66-05 79 Place				
	Arverne Pilgrim Church 74-16 Beach Channel Drive				
	The Vallone Family Snr Res 21-05 30 Drive				
	First Baptist Church of Corona 100-10 Astoria Boulevard				
	The Korean Church of Queens 23-37 89 St				
	Seaside Library 116-15 Rockaway Beach BLvd				
	PS 113 78-23 87 St				
	Grace Lutheran		(1) Ramp in use		

	School 100-05 Springfield Boulevard		and not set up properly. (BOE 2449)		
	Dayton Towers West 102-00 Shore Front Parkway				
	PS 34 104-12 Springfield Boulevard				
	St Leo School 104-19 49 Ave		(1) Accessible entrance signs not properly posted. (2) Accessible door was closed. (BOE 2016-2017)		
	IS 53 10-45 Nameoke St				
	PS 14 107-01 Otis Ave				
	PS 108 108-10 109 Ave		(1) Insufficient access signage. "Handcap signs short." (BOE 1964)		
	IS 8 108-35 167 St		(1) Interior access barriers (CIDNY survey)		
	PS 40 109-20 Union Hall St				
	PS 160 109-59 Inwood St				
	IS 192 JHS 109-89 204 St				
	PS 100 111-11 118 St		(1) Exterior signage barriers (CIDNY survey) (2) Entry / pathway barriers (CIDNY survey) (3) Interior signage barriers (CIDNY survey)		

			(4) Interior Access barriers (CIDNY survey) BOE Survey: (1) Accessible entrance interior doors to the poll room are not open and clear of obstructions. (BOE 2410)		
	PS 140 166-11 116 Ave				
	Ocean Park Apartments 120 Beach 19 St				
	PS 226 JHS 121-10 Rockaway Boulevard		(1) Interior access barriers (CIDNY Survey)		
	PS 121 126-10 109 Ave				
	PS 30 126-10 Bedell St				
	PS 129 128-02 7 Ave		(1) Interior Access barriers (CIDNY survey) (2) BOE says Not compliant with pre-cleared accessible site set up: "Site was not set up according to schematic" (BOE 1506)		
	PS 124 129-15 150 Ave		1) Exterior Signage barriers (CIDNY survey)		
	Brookdale Village Senior Ctr 131 Beach 19 th St		(1) Exterior signage barriers (CIDNY Survey) (2) entry / pathway barriers (CIDNY survey)		

			(3) interior access barriers (CIDNY survey)		
	PS 55 131-10 97 Ave			(1) Inaccessible ramp (CIDNY Survey) (2) Exterior signage barriers (CIDNY survey) (3) Entry / pathway barriers (CIDNY survey) (4) Interior access barriers (CIDNY survey)	
	IS 72 133-25 Guy R Brewer Blvd		(1) Signage improperly posted when AD monitors arrived. (2) "not enough lights over the BMD and where the workers work." (BOE 2423)		
	Bland Community Center 133-36 Roosevelt Ave				
	PS 202 JHS 138-30 Lafayette St		(1) BOE Says Not visited "We were unable to get to." (BOE 1600) "We did not inspect" (1602)		
	PS 171 14-14 29 Ave				
	IS 142				

	142-10 Linden Boulevard				
	PS 20 142-30 Barclay Ave	(1) Inaccessible ramp (CIDNY Survey) (2) Entry / pathway barriers (CIDNY Survey) (3) Interior access barriers (CIDNY survey)	(1) Exterior signage barriers (CIDNY Survey) No indication site was ever visited by BOE (blank AD inspection form) (BOE 1564)		
	Springfield Gardens HS 143-10 Springfield Blvd		(1) "Missing signs for both inside and outside poll site" (BOE 2928) (2) "No door clerks" (BOE 2931)		
	PS 50 143-26 101 Ave				
	PS 219 144-39 Gravett Road		(1) Interior access barriers (CIDNY survey)		
	PS 189 JHS 144-80 Barclay Ave		(1) No indication site was ever visited by BOE (blank AD inspection form) (BOE 1567)		
	PS 231 JHS 145-00 Springfield Boulevard		(1) exterior signage barriers (CIDNY survey) (2) Entry / pathway barriers (CIDNY survey) (3) Interior access barriers (CIDNY survey)		
	PS 185 JHS 147-26 25 Drive		(1) Access signage missing. (2) Directional signage to the		

			alternative accessible entrance not properly posted. (BOE 2818)		
	PS 181 148-15 230 St				
	PS 193 152-20 11 Ave		Form is untouched. Likely not visited. (BOE 2827)		
	PS 22 153-33 Sanford Ave				
	PS 232 153-23 83 St		"Did not visit" (BOE 1603)		
	August Martin HS 156-10 Baisley Boulevard				
	Aguilar Gardens 156-11 Aguilar Ave		(1) Inaccessible ramp (CIDNY survey) (2) Exterior signage barriers (CIDNY survey)		
	PS 163 159-01 59 Ave				
	Ps 207 159-15 88 Street		"Did not visit." (BOE 1609) Other AD Monitor Comment "Door clerk a no show." (BOE 2106)		
	PS 209 16-10 Utopia Parkway				
	PS 184 163-15 21 Road				
	PS 107 167-02 45 Ave		(1) At 8:40 pm: alternate accessible entrance door closed. Not easily opened from outside. (BOE 2190) (2) Signage		

			barriers. AD Comment "No internal signs. Handicap signs not marked as to location." (BOE 2190)		
	PS 131 170-35 84 Ave		AD Comment: "Secured windblown handicap sign." (BOE 2171)		
	PS 80 171-05 137 Ave				
	PS 32 171-11 35 Ave		(1) Entry / pathway barriers (CIDNY survey)		
	Ps 173 174-10 67 Ave		(1) At 5:02pm Accessible "door closed – corrected by locking it open" (BOE 2181)	(1) Entry / Pathways barriers (CIDNY Survey)	
	PS 52 178-37 146 Terrace			(1) Interior access barriers (CIDNY survey)	
	PS 95 179-01 90 Ave				
	PS 37 179-37 137 Ave				
	PS 169 18-25 212 St		(1) entry / pathway barriers (CIDNY Survey)		
	PS 36 187-01 Foch Boulevard				
	PS 178 189-10 Radnor Road				
	PS 118 190-20 109 Road		(1) Exterior signage barriers (CIDNY survey) (2) Entry / pathway barriers (CIDNY Survey)		

			(3) Interior signage barriers (CIDNY Survey) (4) Interior access barriers (CIDNY survey)		
	PS 35 191-02 90 Ave				
	PS 26 195-02 69 Ave		(1) Signage missing at the alternate accessible entrance. Directional signage missing for alternate accessible entrance. (BOE 2630)		
	PS 101 2 Russell Place		(1) Inaccessible ramp (CIDNY survey) (2) Entry / pathway barriers (CIDNY survey) (3) Interior access barriers (CIDNY Survey)		
	PS 130 200-01 42 Ave		"BMD not working. Called – no repair as yet" (4:20pm) (BOE 1503)		
	PS 162 201-02 53 Ave		Signs for alternate handicap entrance missing. Directional arrows to alternate handicap entrance not posted properly. (BOE 2624)	(1) Interior access barriers (CIDNY survey)	
	PS 134 203-06 109 Ave				
	Blessed Trinity Church 204-25 Rockaway		"Did not visit" (BOE 1630).		

	Point Blvd		No door clerk present. (BOE 2086)		
	PS 159 205-01 33 Ave		1) Accessible entrance doors closed and locked. "Handicap not guarded – door locked – short inspectors." 2) "No poll worker/ door monitor." (BOE 1496- 1497) Second AD Team "No door clerk" (BOE 2211)		
	Andrew Jackson HS 207-01 116 Ave				
	PS 135 207-11 89 Ave				
	Scheuer House of Bayside 208-11 26 Ave			(1) Exterior signage barriers (CIDNY survey) (2) Interior access barriers (CIDNY survey)	
	Queensview Inc 21-15 34 Ave				
	PS 122 21-21 Ditmars Boulevard				
	Grover Cleveland HS 21-27 Himrod St		(1) AD Comment "BMD broken, repair called in, service could not fix, would go to warehouse and try to replace. Was not able to come back." (BOE 1955)		

	PS 31 211-45 46 Road		(1) No signage for accessible entrance (BOE 3461)		
	PS 109 JHS 213-10 92 Ave		(1) No door clerk. (BOE 1820)		
	PS 41 214-43 35 Ave				
	PS 147 218-01 116 Ave				
	PS 188 218-12 Hartland Ave				
	PS 84 22-45 41 St	(1) Inaccessible Ramp (CIDNY Survey) (2) Exterior signage barriers (CIDNY survey) (3) Entry / pathway barriers (CIDNY survey)			
	PS 85 23-70 31 St				
	M Vanburen HS 230-17 Hillside Ave				
	PS 213 231-02 67 Ave			(1) Interior access barriers (CIDNY survey)	
	PS 112 25-05 37 Ave		(1) At 6:40 AD monitors wrote: "Poll site in auditorium, not gym. The whole place was a mess. BMD not set up properly." (BOE 2384)		
	PS 186 252-12 72 Ave				
	PS 138 251-11 Weller Ave				
	PS 195 253-50 149 Ave				
	PS 104				

	26-01 Mott Ave				
	Lexington School 25-26 75 Street				
	North Shore Towers 272-40 Grand Central Parkway				
	Newcomers HS 28-01 41 Ave				
	St. Joseph School 43-19 30 th Ave				
	PS 70 30-45 42 Street		(1) Entry / pathway barriers (CIDNY survey) BOE Comment (2) Door clerk is a "No show" (BOE 2555)	(1) Entry / Pathway barriers (CIDNY Survey) (2) Interior access barriers (CIDNY survey)	
	PS 214 31-15 140 Street				
	Bayside HS 32-24 Corporal Kennedy St				
	PS 166 33-09 35 Ave				
	Southridge Co-Op #3 33-24 91 St				
	IS 145 33-34 80 St				
	PS 152 33-52 62 St		(1) Exterior accessible entrance door closed. (2) No door clerk. AD Comment: "The doors for the Accessible entrance were CLOSED. We had to tell coordinator to place someone there." (BOE 1851)		Inside ramp slope exceeds ADA guidelines. 3" 10 24" (photo) Due to students in school for primary day privacy booths were not ADA

					compliant (photo)
	IS 25 34-65 192 St				
	PS 143 34-74 113 St				
	St Andrews School 35-60 158 th St				
	PS 76 36-36 10 St		(1) No door clerk at alternate accessible entrance. (BOE 1936) (2) exterior signage (CIDNY Survey) (3) Entry / pathway barriers (CIDNY survey)		
	MS 333 365 Beach 57 Street				
	PS 199 39-20 48 Ave	(1) Inaccessible Ramp (CIDNY survey)	(1) AD Monitor Comments "There is no light at the entrance/ exit door. It is very dangerous as darkness set in. The coordinator looked for maintenance and none could be found." (BOE 2575)		
	PS 150 40-01 43 Ave				
	PS 98 40-20 235 St		(1) Outside signage not posted properly "Front of school problem." (2) Directional signage to alternative accessible entrance not posted properly. (BOE		

			2800) (3) Accessible entrance doors not open. No door clerk present. Comments indicate that school required accessible entrance to be closed if children were in the school yard. (BOE 2801)		
	Astoria Community Center 4-05 Astoria Boulevard				
	PS 94 41-77 Little Neck Parkway				
	PS 12 42-00 72 St		(1) Signs for the alternative accessible entrance not posted. (BOE 1840)		
	PS 105 420 Beach 51 St		(1) Improper Signage: "Some signs taken off" No door clerk BOE 1759 - 1760		
	Goodwill Apartments 4-21 27 Ave				
	Beach 41 st St Comm Ctr 426 Beach 40 Street				
	Queen of Angels Parish Center 43-18 Skillman Ave		(1) interior access barriers (CIDNY Survey)		
	Queens Botanical Gardens 43-50 Main St				
	Rosenthal Senior Center 45-25 Kissena Boulevard				
	PS 125 JHS				

	46-02 47 Ave				
	IS 237 46-21 Colden St		(1) Accessible entrance closed and not easy to open from outside. (BOE 2071)		
	Newtown HS 48-01 90 Street				
	IS 61 98-50 50 Ave		(1) Both BOE forms untouched. No indication it was visited. (BOE 2019 and 2046)		
	PS 67 JHS 51-60 Marathon Parkway				
	PS 215 5-35 Briar Place		(1) Interior door to poll room closed. Not easy to open from the outside. No interior door clerk. (BOE 1765)		
	PS 11 54-25 Skillman Ave				
	PS 13 55-01 94 St		(1) Exterior signage barriers (CIDNY survey) (2) Entry / pathway barriers (CIDNY survey) (3) Interior Signage barriers (CIDNY survey) (4) Interior Access barriers (CIDNY Survey)		
	PS 102 55-24 Van Horn St				
	PS 177 56-37 188 St		(1) Signage for alternate accessible entrance and (2) directional arrows to alternate		

			<p>accessible entrance not posted/missing.</p> <p>(3)Door initially closed. Door monitor opened. (BOE 2627 - 2628)</p>		
	Benjamin Cardozo HS 57-00 223 St				
	Ocean Village 57-07 Shore Front Parkway		<p>BOE Found:</p> <p>(1) Directional arrows not properly posted. "At ocean village site, outside signs were taken down by the kids in the complex." (BOE 1753-1755)</p> <p>(2) Exterior signage barriers (CIDNY Survey)</p> <p>(3) Entry / pathway barriers (CIDNY Survey)</p> <p>(4) Interior access barriers (CIDNY Survey)</p>		
	PS 120 58-01 136 Street		(1) Interior accessible door to the poll room closed and/or obstructed. (BOE 2652)		
	Francis Lewis HS 58-20 Utopia Parkway		<p>(1) At 6:30pm. accessible entrance doors closed and not easily opened from outside.</p> <p>(2)No door clerk. (BOE 2184)</p>		

	Big Six Towers 59-15 47 Ave				
	PS 81 599 Cypress Ave			(1) Exterior signage barriers (CIDNY survey) (2) Interior Access barriers (CIDNY survey)	
	PS 153 60-02 60 Lane				
	PS 88 60-85 Catalpa Ave				BMD had a 46 and ½ clearance and the ADA privacy booth 56 and 3/4ths front slope greater than 30ft with no landing (ask Monica)
	Fairview Apartments 61-20 Grand Central Parkway		(1) Not compliant with pre-cleared accessible schematic: 3:30pm "Room was not set up according to lay out but was changed to sufficiently demonstrate 1,2,3 process. . . Signage leading to poll site was insufficient and changed." BOE 2875		
	PS 206 61-21 97 Place				
	PS 187/811 Q 61-25 Marathon				

	Parkway				
	PS 220 62-10 108 St		(1) Site uses a portable ramp but "there was no ramp installed" (BOE 1891)		
	PS 157 JHS 63-55 102 Street				
	PS 175 64-35 102 St		(1) Interior doors to poll room obstructed "lunch tables were close to door." (BOE 2865) (2) Exterior signage barriers (CIDNY Survey)	(1) interior Access barriers (CIDNY Survey)	
	PS 46 64-45 218 St				
	PS 174 65-10 Dieterie Crescent			(1) Inaccessible ramp (CIDNY Survey) (2) Interior access barriers (CIDNY Survey)	
	PS 93 JHS 66-56 Forest Ave				
	PS 229 67-25 51 Road		(1) Not compliant with pre-cleared accessible schematic: "Room did not follow exact floor plan." (BOE 2964).		
	PS 87 67-54 80 St				
	PS 190 JHS 68-17 Austin St		(1) First AD Team: "Room is DARK, Dark." (BOE 1656) (2) No door clerk.	(1) Entry / pathway barriers (CIDNY survey)	

			(BOE 1654) Second AD Team: "No door clerk." (BOE 2287)	(2) Interior access barriers (CIDNY survey)	
	PS 128 69-10 65 Drive		(1) All signage missing. No directional arrows. (2) No signs posted at accessible entrance. (BOE 1632) (3) "Gold key for BMD missing. BMD was left unopen until told coord it must be opened." (BOE 1635) Second AD Team: Improper directional signage comment: "Hard to find, place is in the basement." (BOE 2896) (3) Not compliant with pre-cleared accessible schematic: "extremely noisy and crowded. A teacher constantly on the loud- speaker. They only had half the available space." (BOE 2989)		
	PS 73 JHS 70-02 54 Ave		(1) Improper access signage: "Had to move handicap sign." (BOE 2959)		

			(2) "Not a good room for the election due to the sharing of the lunch room with the students. Students were loud, hard to understand what's going on, or where to go even with all the signs hung properly, if weren't for door clerk people may not know where to go." (BOE 2961)		
	PS 200 70-10 164 St		(1) "Bell from BOE did not work." (BOE 1538)		
	PS 165 70-35 150 St				
	Sand Castle 7-11 Seagirt Ave				
	Immaculate Conception Center 72-00 Douglaston Parkway		(1) "One handicapped sign by street handing by a string, blowing in the wind." (BOE 2147)		
	Dayton Towers East 7400 7400 Shore Front Parkway				
	PS 154 75-02 162 Street		(1) AD Comment "Handicap entrance far away from main entrance. Should have more arrows." (BOE 2177)		
	PS 205 75-25 Bell Boulevard				
	PS 69 77-02 37 Ave		(1) Form untouched. No		

			indication it was visited. (BOE 2025)		
	Meadowbrook Apartments 77-15 113 St				
	PS 49 79-15 Penelope Ave				
	Creedmoor Hospital 79-25 Winchester Boulevard				
	PS 115 80-51 261 St				
	Dayton Beach Park 8200 8200 Shore Front Parkway				
	Hammel Comm Center 81-14 Rockaway Beach Blvd				
	PS 64 82-01 101 Ave				
	PS 99 82-37 Kew Gardens Road			(1) Interior access barriers (CIDNY survey)	
	Forest Park Co-op 83-55 Woodhaven Boulevard		(1) entry / pathway barriers (CIDNY survey) (2) Interior access barriers (CIDNY survey)		
	VFW Post 551 84-02 60 Ave		(1) No hand rails on ramp. "Never had hand rails, was the same ramp / rail the place uses." (2) Door clerk not present. (BOE 2954)		
	PS 217 JHS 85-144 Street				
	Briarwood Library 85-12 Main St				

	PS 191 85-15 258 St				
	PS 89 85-28 Britton Ave		(1) entry / pathway barriers (CIDNY survey) (2) Interior access barriers (CIDNY survey) BOE Form untouched. No indication it was visited. (BOE 2028)		Entrance under heavy construction (photo)
	PS 97 85-52 85 Street				
	Dayton Beach Park 8600 8600 Shore Front Parkway				
	PS 54 86-02 127 St		(1) Not compliant with pre-cleared accessible schematic. "Room needed to be changed due to needs of the school. Lunch room was in original site layout." (BOE 2854)		
	PS 56 86-10 114 St		(1) BMD not accessible when AD Monitors arrived: "Rotated BMD and set up properly. Placed 5 feet from wall." (BOE 2835)		
	PS 18 86-35 235 Court		(1) "Custodian would not allow entrance" to be opened. Accessible entrance doors were closed (possibly locked)		

			(BOE 1811)		
	PS 90 86-50 109 St		(1) Handicap signage initially improper. (BOE 2839) (2) Exterior accessible entrance doors obstructed by "card board box which was blocking entrance." (BOE 2840) (3) Not compliant with pre-cleared accessible schematic. "Room was not set up to fit the layout but was changes as best as possible. Room had vending machines and televisions which affected the way the room could be set up." (BOE 2842)		
	Hilltop Village Co-op 87-15 204 Street				
	PS 113 78-23 87 Street				
	PS 82 88-02 144 St		(1) Directional Signage insufficient: "More directional arrows needed" (BOE 2759)		
	IS 238 88-15 182 Street				
	Central Library 89-11 Merrick Boulevard		(1) Accessible entrance door not open. Not easily opened from outside. "Doors are computerized not to open." Interior		

			"doors are on timer." Problem not corrected. (BOE 1667)		
	PS 63 90-15 Sutter Ave				
	PS 60 91-02 88 Ave		(1) Exterior signage barriers (CIDNY Survey) (2) Entry / Pathway barriers (CIDNY survey) (3) Interior access barriers (CIDNY survey)		
	PS 33 91-37 222 Street		(1) No door clerk available. (BOE 1814)		
	Peninsula Library 92-25 Rockaway Beach Blvd				
	PS 144 93-02 69 Ave			(1) Entry / pathway barriers (CIDNY survey)	
	PS 139 93-06 63 Drive				
	PS 210 JHS 93-11 101 Ave		(1) Not compliant with pre-cleared accessible site set up: "Site was not arranged according to plan." BOE 1590		
	PS 149 93-11 34 Ave		(1) Alternate accessible entrance signs not posted. (2) Directional arrows to alternate accessible entrance not posted. (BOE 1861) (3) Accessible door		

			closed. (BOE 1862)		
	Lefrack City Apartments 96-10 57 Ave				
	PS 62 97-25 108 Street				
	PS 146 98-01 159 Ave		<p>(1) First BOE team: Not compliant with pre-cleared accessible schematic. "The poll room is not laid out as to the schematic because classes are held in the same room which necessitates an accommodating reformation of equipment."</p> <p>(2) "Due to room use and congestion, the BMD could not be positioned properly . . . as to assure proper access." (BOE 2110)</p> <p>Second BOE team: "Did not visit" (BOE 1606)</p> <p>(3) Inaccessible ramp (CIDNY Survey)</p> <p>(4) Entry / pathway barriers (CIDNY survey)</p> <p>(5) Interior Signage barriers (CIDNY Survey)</p> <p>(6) Interior access barriers (CIDNY</p>		

			Survey)		
	Forest Park Library 98-27 Metropolitan Ave				
	PS 19 40-32 99 Street		(1) No door clerks. (BOE 2008)	(1) Exterior signage barriers (CIDNY survey) (2) Entry / pathway barriers (CIDNY survey) (3) Interior Access barriers (CIDNY survey)	
	Far Rockaway HS 821 Bay 25 St		(1) Ramp not set up or not properly set up by custodian. (BOE 2682)		
	PS 91 68-10 Central Ave				
	PS 114 134-09 Cronston Ave		First AD Team "Did not visit." (BOE 1627) Second AD team: (1) No door clerk present at accessible entrance. (2) Accessible entrance closed. AD Comments: "Call made to bd of E for additional people. School office insisted that the emergency		

			[accessible] entrance must remain closed until bd of e personal can cover it." (BOE 2091 - 2092)		
	Queensbridge North Comm Ctr 10-25 41 Ave				
	Redfern Community Center 15-44 Hassock Street				
Staten Island					
	IS 61 445 Castleton Ave		(1) Exterior signage missing on front gate (BOE 3431) (2) Portable ramp was not accessible / not set up properly (BOE 3432)		
	Staten Island Tech HS 485 Clawson St				
	IS 75 455 Huguenot Ave				
	PS 37 15 Fairfield St				
	Curtis HS 105 Hamilton Ave				
	New Dorp HS 465 New Dorp Lane		(1) Signage not properly posted outside (BOE 3566)		
	Saint Christophers 136 Midland Ave		(1) Signage not properly posted outside (BOE 3467) (2) Portable ramp unsafe (BOE 3644)		
	Saint Paul's Meth Ch 7557 Amboy Road				
	IS 2 333 Midland Ave		(1) Signage not properly posted outside, directional		

			arrows (BOE 3623) (2) Portable ramp unsafe (BOE 3624)		
	PS 42 380 Genesee Ave				
	Tennis Club 42 Revere Street				
	IS 72 33 Ferndale Ave				
	Olivet Presby Church 97 Myrtle Ave				
	Central Family Life Center 59 Wright Street				
	Gold Star American Legion 17 Cannon Ave				
	Holy Rosary Par Ctr 85 Jerome Ave				
	The Elks 3250 Richmond Ave				
	PS 20 161 Park Ave				
	PS 56 250 Kramer Ave		(1) No signage for accessible entrance (BOE 3443) (2) No door clerk present (BOE 3444)		
	PS 5 348 Deisius Street				
	PS 6 555 Page Ave				
	PS 22 1860 Forest Ave				
	Petrides School 715 Ocean Terrace		(1) Ramp not set up properly (BOE 3414) (2) No door clerk at accessible entrance (BOE 3414)		
	Christian Pentecostal Church		(1) Signage: directional signs		

	910 Richmond Road		missing (BOE 3434) (2) No door clerk present (BOE 3435)		
	PS 58 77 Marsh Ave		(1) Accessible entrance not open, no door clerk present (BOE 3366)		
	Summerfield UMC 104 Harbor Road				
	South Beach Community 155 Norway Ave				
	The Tides at Charleston 15 Tides Lane				
	PS 65 98 Grant Street				
	Castleton Hill Moravian Church 1657 Victory Boulevard				
	PS 14 100 Tompkins Ave				
	Castleton Park Apartments 185 St Marks Place				
	Richmond Terrace Comm Ctr 71 Jersey St				
	All Saints Church 2329 Victory Boulevard				
	PS 57 140 Palma Drive		(1) Exterior signage not posted properly, AD monitor had to post signage (BOE 3362)		
	PS 48 1055 Targee Street				
	PS 54 1060 Willowbrook Road				
	Concord HS 109 Rhine Ave		(1) Maintenance had to remove interior blockage		

			(BOE 3554)		
	IS 27 11 Clove Lakes Place				
	Cassidy/Lafayette Senior Center 125 Cassidy Place		(1) Signage not properly posted outside (BOE 3578)		
	Ps 69 144 Keating Place				
	PS 29 1581 Victory Boulevard				
	Cichon Post 100 Innis Street				
	Stapleton Community Center 189 Gordon Street				
	PS 13 191 Vermont Ave				
	IS 51 20 Houston Street				
	PS 36 Annex 200 Jefferson Boulevard				
	Berry Community Center 211 Jefferson St				
	IS 24 225 Cleveland Ave		(1) Signage not properly posted outside (BOE 3664)		
	PS 36 255 Ionia Ave				
	Todt Hill Community Center 255 Westwood Ave		(1) Signage not posted at time of inspection (BOE 3485)		
	Elizabeth Connelly Campus 280 Regis Drive		(1) No door clerk present (BOE 3354)		
	PS 23 30 Natick St				
	PS 32 32 Elverton Ave				
	PS 53 330 Durant Ave		(1) Signage not properly posted outside (BOE 3620)		
	PS 52				

	450 Buel Avenue				
	Susan Wagner HS 50 Brielle Ave				
	Walker Park Club 50 Delafield Place		(1) "Ramp too small for wheelchairs" (BOE 3495)		
	PS 11 50 Jefferson St				
	PS 55 54 Osborne Street				
	PS 31 55 Layton Ave				
	PS 35 60 Foote Ave				
	New Lane Senior center 70 New Lane				
	Staten Island Academy 715 Todt Hill Road				
	PS 19 780 Post Ave		(1) Portable ramp not set up properly "planted walkway" (BOE 3447)		
	PS 44 80 Maple Parkway				
	PS 16 80 Monroe Ave				
	PS 3 80 South Goff Ave				
	PS 40 91 Henderson Ave				
	PS 50 200 Adelaide Ave		(1) Exterior signage not posted properly (BOE 3374) (2) Unsafe Ramp (BOE 3375, 3594)		
	PS 18 220 Broadway				
	IS 7 1270 Huguenot Ave				
	PS 8 100 Lindenwood Road		(1) Signage not properly posted outside (BOE 3509)		

			(2) Ramp not properly set up, "handrails didn't fit" (BOE 3510)		
	PS 60 55 Merrill Ave				
	PS 4 200 Nedra Lane		(1) No signage for accessible entrance (BOE 3500)		
	PS 39 71 Sand Lane				
	PS 30 200 Wardwell Ave				
	Parkview Apartments 700 Victory Boulevard				

EXHIBIT B

AD MONITOR SAMPLE REPORT

Poll Site (Name and Address)	Temporary Modifications Needed to Ensure Accessibility on Election Day	Barriers Found/Temporary Modifications Not Implemented

EXHIBIT C

DEPARTMENT OF JUSTICE POLLING PLACE ACCESSIBILITY CHECKLIST